

Datasheet for ABIN7180530
anti-Bcl-2 antibody (pThr56)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µg
Target:	Bcl-2 (BCL2)
Binding Specificity:	pThr56
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Bcl-2 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), ELISA, Immunofluorescence (IF), Immunoprecipitation (IP)

Product Details

Immunogen:	Synthesized peptide derived from Human Bcl-2 around the phosphorylation site of T56.
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.

Target Details

Target:	Bcl-2 (BCL2)
Alternative Name:	BCL2 (BCL2 Products)

Target Details

Background: Apoptosis regulator Bcl 2 antibody, Apoptosis regulator Bcl-2 antibody, Apoptosis regulator Bcl2 antibody, AW986256 antibody, B cell CLL/lymphoma 2 antibody, B cell leukemia/lymphoma 2 antibody, Bcl-2 antibody, Bcl2 antibody, BCL2_HUMAN antibody, C430015F12Rik antibody, D630044D05Rik antibody, D830018M01Rik antibody, Leukemia/lymphoma, B-cell, 2 antibody, Oncogene B-cell leukemia 2 antibody, PPP1R50 antibody, Protein phosphatase 1 regulatory subunit 50 antibody, Protein phosphatase 1, regulatory subunit 50 antibody

UniProt: [P10415](#)

Pathways: [MAPK Signaling](#), [PI3K-Akt Signaling](#), [Apoptosis](#), [Caspase Cascade in Apoptosis](#), [Regulation of Muscle Cell Differentiation](#), [Cell-Cell Junction Organization](#), [Skeletal Muscle Fiber Development](#), [Autophagy](#), [Smooth Muscle Cell Migration](#), [Negative Regulation of intrinsic apoptotic Signaling](#)

Application Details

Application Notes: WB:1:500-1:2000, IHC:1:100-1:300, IP:2-5 µg, IF:1:200-1:1000, ELISA:1:20000,

Restrictions: For Research Use only

Handling

Format: Liquid


Buffer: Liquid in PBS containing 50 % glycerol, 0.5 % BSA and 0.02 % sodium azide.

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C, -80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Western Blotting

Image 1. Western Blot analysis of Jurkat cells using Phospho-Bcl-2 (T56) Polyclonal Antibody