# antibodies -online.com







# anti-CFTR antibody

**Images** 



$\sim$				
	$ V \cap$	r\/I	19	٨

Quantity:	100 μg	
Target:	CFTR	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This CFTR antibody is un-conjugated	
Application:	Immunohistochemistry (IHC), Western Blotting (WB), ELISA	

# Product Details

Immunogen:	Synthesized peptide derived from Human CFTR around the non-phosphorylation site of S737.	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse, Rat	
Purification: The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.		

## **Target Details**

Target:	CFTR	
Alternative Name:	CFTR (CFTR Products)	
Background:	ABC 35 antibody, ABC35 antibody, ABCC 7 antibody, ABCC7 antibody, ATP binding cassette sub	
	family C member 7 antibody, ATP Binding Cassette Superfamily C Member 7 antibody, ATP	
	binding cassette transporter sub family C member 7 antibody, ATP-binding cassette sub-family	

### **Target Details**

C member 7 antibody, cAMP dependent chloride channel antibody, cAMP-dependent chloride channel antibody, CF antibody, CFTR antibody, CFTR/MRP antibody, CFTR\_HUMAN antibody, Channel conductance controlling ATPase antibody, Channel conductance-controlling ATPase antibody, Cystic fibrosis transmembrane conductance regulator (ATP-binding cassette sub family C, member 7) antibody, Cystic fibrosis transmembrane conductance regulator antibody, Cystic fibrosis transmembrane conductance regulator ATP binding cassette sub family C member 7 antibody, Cystic Fibrosis Transmembrane Regulator antibody, dJ760C5.1 antibody, MRP 7 antibody, MRP7 antibody, TNR CFTR antibody

UniProt:


P13569


### **Application Details**

Application Notes:	WB:1:500-1:2000, IHC:1:100-1:300, ELISA:1:5000,
Restrictions:	For Research Use only

# Handling

Format:	Liquid	
Buffer:	Liquid in PBS containing 50 % glycerol, 0.5 % BSA and 0.02 % sodium azide.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C,-80 °C	
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.	





### **Western Blotting**

**Image 1.** Western Blot analysis of 293T cells using CFTR Polyclonal Antibody

### **Western Blotting**

**Image 2.** Western Blot analysis of SH-SY5Y cells using CFTR Polyclonal Antibody