antibodies -online.com







anti-KRT6A antibody





\sim				
	$ V \cap$	r\/I	19	٨

Quantity:	100 μL	
Target:	KRT6A	
Reactivity:	Human	
Host:	Mouse	
Clonality:	Monoclonal	
Conjugate:	This KRT6A antibody is un-conjugated	
Application:	ELISA, Immunohistochemistry (IHC)	

Product Details

Immunogen:	Synthesized peptide derived from human Cytokeratin 6
Isotype: IgG1 kappa	
Cross-Reactivity:	Human
Purification:	Affinity purified

Target Details

Target:	KRT6A	
Alternative Name:	KRT6A (KRT6A Products)	
Background: Background: Heterodimer of a type I and a type II keratin. KRT6 isomers associated and/or KRT17. Interacts with TCHP.		
	Aliases: Keratin, type II cytoskeletal 6A (Cytokeratin-6A) (CK-6A) (Cytokeratin-6D) (CK-6D)	
	(Keratin-6A) (K6A) (Type-II keratin Kb6) (allergen Hom s 5), KRT6A, K6A KRT6D	

Target Details

UniProt: P02538

Application Details


Application Notes:	Recommended dilution: IHC:1:20-1:200,

Restrictions: For Research Use only

Handling

Format:	Liquid	
Buffer:	Liquid in PBS containing 50 % glycerol, 0.5 % BSA and 0.02 % sodium azide.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C,-80 °C	
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.	

Images



Immunohistochemistry

Image 1. IHC image of ABIN7180968 diluted at 1:100 and staining in paraffin-embedded human cervical cancer performed on a Leica BondTM system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10 % normal goat serum 30 min at RT. Then primary antibody (1 % BSA) was incubated at 4 °C overnight. The primary is detected by a Goat anti-mouse IgG polymer labeled by HRP and visualized using 0.05 % DAB.