

Datasheet for ABIN7181226
anti-FGFR1 antibody (pTyr154)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µg
Target:	FGFR1
Binding Specificity:	pTyr154
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FGFR1 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (IF)

Product Details

Immunogen:	Synthesized peptide derived from Human Flg around the phosphorylation site of Y154.
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.

Target Details

Target:	FGFR1
Alternative Name:	FGFR1 (FGFR1 Products)
Background:	Basic fibroblast growth factor receptor 1 antibody, bFGF-R-1 antibody, BFGFR antibody, CD331

Target Details

antibody, CEK antibody, FGFBR antibody, FGFR 1 antibody, FGFR-1 antibody, FGFR1 antibody, FGFR1/PLAG1 fusion antibody, FGFR1_HUMAN antibody, fibroblast growth factor receptor 1 antibody, FLG antibody, FLT-2 antibody, FLT2 antibody, Fms-like gene antibody, Fms-like tyrosine kinase 2 antibody, fms-related tyrosine kinase 2 antibody, HBGFR antibody, heparin-binding growth factor receptor antibody, HH2 antibody, HRTFDS antibody, hydroxyaryl-protein kinase antibody, KAL2 antibody, N-SAM antibody, OGD antibody, Proto-oncogene c-Fgr antibody


UniProt:	P11362
Pathways:	RTK Signaling , Fc-epsilon Receptor Signaling Pathway , EGFR Signaling Pathway , Neurotrophin Signaling Pathway , Sensory Perception of Sound , Stem Cell Maintenance , S100 Proteins

Application Details

Application Notes:	WB:1:500-1:2000, IF:1:200-1:1000, ELISA:1:40000,
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	Liquid in PBS containing 50 % glycerol, 0.5 % BSA and 0.02 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Western Blotting

Image 1. Western Blot analysis of 293 cells using Phospho-Flg (Y154) Polyclonal Antibody