

Datasheet for ABIN7181246
anti-FLT1 antibody (pTyr1333)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µg
Target:	FLT1
Binding Specificity:	pTyr1333
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FLT1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), ELISA

Product Details

Immunogen:	Synthesized peptide derived from Human Flt-1 around the phosphorylation site of Y1333.
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.

Target Details

Target:	FLT1
Alternative Name:	FLT1 (FLT1 Products)
Background:	EC 2.7.10.1 antibody, FLT 1 antibody, FLT antibody, Flt-1 antibody, FLT1 antibody, Fms like

Target Details

tyrosine kinase 1 antibody, Fms related tyrosine kinase 1 antibody, Fms related tyrosine kinase 1 (vascular endothelial growth factor/vascular permeability factor receptor) antibody, Fms related tyrosine kinase 1 vascular endothelial growth factor/vascular permeability factor receptor antibody, Fms-like tyrosine kinase 1 antibody, FRT antibody, Soluble VEGF receptor 1 14 antibody, Soluble VEGFR1 variant 2 antibody, Soluble VEGFR1 variant 21 antibody, Tyrosine protein kinase FRT antibody, Tyrosine protein kinase receptor FLT antibody, Tyrosine-protein kinase FRT antibody, Tyrosine-protein kinase receptor FLT antibody, Vascular endothelial growth factor receptor 1 antibody, Vascular endothelial growth factor vascular permeability factor receptor antibody, Vascular permeability factor receptor 1 antibody, Vascular permeability factor receptor antibody, VEGFR 1 antibody, VEGFR-1 antibody, VEGFR1 antibody, VGFR1_HUMAN antibody


UniProt:	P17948
Pathways:	RTK Signaling , Signaling Events mediated by VEGFR1 and VEGFR2 , VEGFR1 Specific Signals

Application Details

Application Notes:	WB:1:500-1:2000, IHC:1:100-1:300, ELISA:1:40000,
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	Liquid in PBS containing 50 % glycerol, 0.5 % BSA and 0.02 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Western Blotting

Image 1. Western Blot analysis of K562+VEGF cells using Phospho-Flt-1 (Y1333) Polyclonal Antibody