

Datasheet for ABIN7182916
anti-NTRK3 antibody (pTyr516)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µg
Target:	NTRK3
Binding Specificity:	pTyr516
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NTRK3 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), ELISA

Product Details

Immunogen:	Synthesized peptide derived from Human Trk C around the phosphorylation site of Y516.
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.

Target Details

Target:	NTRK3
Alternative Name:	NTRK3 (NTRK3 Products)
Background:	EC 2.7.10.1 antibody, ETS related protein neurotrophic receptor tyrosine kinase fusion antibody,

Target Details

ETS related protein neurotrophic receptor tyrosine kinase fusion protein antibody, ETV6 NTRK3 fusion antibody, GP145 TrkC antibody, gp145(trkC) antibody, GP145-TrkC antibody, GP145TrkC antibody, Neurotrophic tyrosine kinase receptor type 3 antibody, Neurotrophin 3 receptor antibody, NT 3 growth factor receptor antibody, NT 3 growth factor receptor precursor antibody, NT 3 receptor antibody, NT-3 growth factor receptor antibody, Ntrk3 antibody, NTRK3_HUMAN antibody, OTTHUMP00000192915 antibody, TRK C antibody, Trk-C antibody, TRKC antibody, TrkC tyrosine kinase antibody, Tyrosine kinase receptor C antibody

UniProt: [Q16288](#)

Pathways: [RTK Signaling](#), [Neurotrophin Signaling Pathway](#), [Regulation of Cell Size](#)

Application Details

Application Notes: WB:1:500-1:2000, IHC:1:100-1:300, ELISA:1:10000,

Restrictions: For Research Use only

Handling

Format: Liquid


Buffer: Liquid in PBS containing 50 % glycerol, 0.5 % BSA and 0.02 % sodium azide.

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Western Blotting

Image 1. Western Blot analysis of HELA cells using Phospho-Trk C (Y516) Polyclonal Antibody