# antibodies -online.com





## anti-S100A7A antibody (AA 41-108) (FITC)



Go to Product page

( )	11/0	K\ /	iew
	$\cup$	'I V/I	$I \cap VV$

Quantity:	100 μL
Target:	S100A7A
Binding Specificity:	AA 41-108
Reactivity:	Human, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This S100A7A antibody is conjugated to FITC
Application:	Western Blotting (WB), Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from mouse S100A15	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse, Rat	
Purification:	Purified by Protein A.	

### **Target Details**

Target:	S100A7A
Alternative Name:	S100A15 (S100A7A Products)
Background:	Synonyms: Gm12, S1A7f, S1a15, AY46519, S1A7L1, S1a15a, S1a17l1, Protein S1-A15A, Protein

#### **Target Details**

Expiry Date:

12 months

rarget Details		
	S1-A7A, S1 calcium-binding protein A15A, S1 calcium-binding protein A7A, S1a7, S1a7a  Background: Fetal ear, skin, and tongue and human cell lines. Highly up-regulated in psoriatic epidermis. Also highly expressed in the urine of bladder squamous cell carcinoma (SCC) bearing patients.	
Gene ID:	381493	
UniProt:	Q6S5I3	
Pathways:	Activation of Innate immune Response, S100 Proteins	
Application Details		
Application Notes:	FCM 1:20-100	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.	