antibodies .- online.com







anti-TUSC5 antibody

2 Images



Go to Product page

| \sim | | | | |
|--------|-----------|------|----|---|
| | $ V \cap$ | r\/I | 19 | ٨ |

| Quantity: | 100 μL |
|--------------|---|
| Target: | TUSC5 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This TUSC5 antibody is un-conjugated |
| Application: | ELISA, Western Blotting (WB), Immunofluorescence (IF) |

Product Details

| Immunogen: | Synthesized peptide derived from internal of Human TUSC5. | |
|-------------------|---|--|
| Isotype: | IgG | |
| Cross-Reactivity: | Human | |
| Purification: | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. | |

Target Details

| Target: | TUSC5 |
|-------------------|--|
| Alternative Name: | TUSC5 (TUSC5 Products) |
| Background: | Background: May be involved in fat metabolism By similarity. |
| | Konishi H., Oncogene 22:1892-1905(2003). |

Target Details

Aliases: Dispanin subfamily B member 1 antibody, DSPB1 antibody, Interferon-induced transmembrane domain-containing protein D3 antibody, LOST1 antibody, Protein located at seventeen p thirteen point three 1 antibody, Protein located at seventeen-p-thirteen point three 1 antibody, Tumor suppressor candidate 5 antibody, Tusc5 antibody, TUSC5_HUMAN antibody

UniProt:

Q8IXB3


Application Details

| Application Notes: | WB:1:500-1:3000, IF:1:100-1:500, |
|--------------------|----------------------------------|
| Restrictions: | For Research Use only |

Handling


| Format: | Liquid |
|--------------------|--|
| Buffer: | Rabbit IgG in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150 mM NaCl, 0.02 % sodium azide and 50 % glycerol. |
| Preservative: | Sodium azide |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | -20 °C,-80 °C |
| Storage Comment: | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze. |

Images



Immunofluorescence

Image 1. Immunofluorescence analysis of HeLa cells, using TUSC5 antibody.



Western Blotting

Image 2. Western blot analysis of extracts from LOVO cells, using TUSC5 antibody.