antibodies -online.com





anti-ABCB7 antibody (C-Term)





Go to Product page

| _ | | | | | | |
|---|---|---|----|----|----------|---|
| 0 | V | 0 | r٧ | /[| Θ | M |
| | | | | | | |

| Quantity: | 100 μg |
|----------------------|--|
| Target: | ABCB7 |
| Binding Specificity: | C-Term |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This ABCB7 antibody is un-conjugated |
| Application: | ELISA, Western Blotting (WB), Immunohistochemistry (IHC) |

Product Details

| Immunogen: | Synthesized peptide derived from the C-terminal region of Human ABCB7. | |
|---|--|--|
| Isotype: | IgG | |
| Cross-Reactivity: | Human | |
| Purification: The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. | | |

Target Details

| Target: | ABCB7 | |
|-------------------|--|--|
| Alternative Name: | ABCB7 (ABCB7 Products) | |
| Background: | und: ABC transporter 7 protein antibody, ABC7 antibody, Abcb7 antibody, ABCB7_HUMAN antibody | |

Target Details

ASAT antibody, Atm1p antibody, ATP binding cassette 7 antibody, ATP binding cassette sub family B (MDR/TAP) member 7 antibody, ATP binding cassette sub family B member 7 antibody, ATP binding cassette sub family B member 7 mitochondrial antibody, ATP binding cassette transporter 7 antibody, ATP-binding cassette sub-family B member 7 antibody, ATP-binding cassette transporter 7 antibody, EST140535 antibody, MDR7 antibody, mitochondrial antibody, Multidrug resistance protein 7 antibody, P-glycoprotein 7 antibody, PGP7 antibody

UniProt:

075027

Pathways:

Transition Metal Ion Homeostasis


Application Details

Application Notes: WB:1:500-1:2000, IHC:1:100-1:300, ELISA:1:40000,

Restrictions: For Research Use only

Handling

| Format: | Liquid | |
|--------------------|--|--|
| Buffer: | Liquid in PBS containing 50 % glycerol, 0.5 % BSA and 0.02 % sodium azide. | |
| Preservative: | Sodium azide | |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. | |
| Storage: | -20 °C,-80 °C | |
| Storage Comment: | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze. | |



Western Blotting

Image 1. Western Blot analysis of HepG2 cells using ABCB7 Polyclonal Antibody