

Datasheet for ABIN7184554

## anti-Adenosine A3 Receptor antibody (C-Term)



[Go to Product page](#)

### 2 Images

#### Overview

|                      |   |
|----------------------|---|
| Quantity:            | 100 µg  |
| Target:              | Adenosine A3 Receptor (ADORA3)  |
| Binding Specificity: | C-Term  |
| Reactivity:          | Human   |
| Host:                | Rabbit  |
| Clonality:           | Polyclonal  |
| Conjugate:           | This Adenosine A3 Receptor antibody is un-conjugated                              |
| Application:         | Western Blotting (WB), ELISA, Immunofluorescence (IF), Immunohistochemistry (IHC) |

#### Product Details

|                   |   |
|-------------------|---|
| Immunogen:        | Synthesized peptide derived from the C-terminal region of Human Adenosine A3-R.                                       |
| Isotype:          | IgG   |
| Cross-Reactivity: | Human   |
| Purification:     | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. |

#### Target Details

|                   |  |
|-------------------|--|
| Target:           | Adenosine A3 Receptor (ADORA3)             |
| Alternative Name: | ADORA3 ( <a href="#">ADORA3 Products</a> ) |
| Background:       | ADORA3, Adenosine receptor A3              |

## Target Details

UniProt: [P33765](#)

Pathways: [Hormone Transport](#), [cAMP Metabolic Process](#), [Regulation of Leukocyte Mediated Immunity](#), [Positive Regulation of Immune Effector Process](#)

## Application Details

Application Notes: WB:1:500-1:2000, IHC:1:100-1:300, IF:1:200-1:1000, ELISA:1:5000,

Restrictions: For Research Use only

## Handling

Format: Liquid

Buffer: Liquid in PBS containing 50 % glycerol, 0.5 % BSA and 0.02 % sodium azide.


Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C


Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

## Images



### Western Blotting

**Image 1.** Western Blot analysis of MCF7 HELA PC12 cells using Adenosine A3-R Polyclonal Antibody



### Western Blotting

**Image 2.** Western Blot analysis of MCF7 cells using Adenosine A3-R Polyclonal Antibody