# antibodies -online.com





# anti-NECAB3 antibody (C-Term)



Image



Go to Product page

( )	ve	K\ /		A .
	$\cup$	1 V/	Щ.	V۷

Quantity:	100 μg
Target:	NECAB3
Binding Specificity:	C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NECAB3 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC), Immunofluorescence (IF)

# Product Details

Immunogen:	Synthesized peptide derived from the C-terminal region of Human APBA2BP.
Isotype:	IgG
Cross-Reactivity:	Human, Mouse
Purification:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.

## **Target Details**

Target:	NECAB3
Alternative Name:	NECAB3 (NECAB3 Products)
Background:	Amyloid beta (A4) precursor protein binding, family A, member 2 binding protein antibody,

#### **Target Details**

Amyloid beta A4 protein binding family A member 2 binding protein antibody, Amyloid beta A4 protein-binding family A member 2-binding protein antibody, APBA2BP antibody, dJ63M2.4 antibody, dJ63M2.5 antibody, EFCBP3 antibody, N terminal EF hand calcium binding protein 3 antibody, N-terminal EF-hand calcium-binding protein 3 antibody, NECA3\_HUMAN antibody, NECAB3 antibody, Nek2 interacting protein 1 antibody, Nek2-interacting protein 1 antibody, Neuronal calcium-binding protein 3 antibody, NIP1 antibody, STIP3 antibody, Synaptotagmin interacting protein 2 antibody, SYTIP2 antibody, X11L binding protein 51 antibody, X11L-binding protein 51 antibody

UniProt:

Preservative:

Storage Comment:

Q96P71

### **Application Details**

Application Notes:	WB:1:500-1:2000, IHC:1:100-1:300, IF:1:200-1:1000, ELISA:1:40000,
Restrictions:	For Research Use only
Handling	
Format:	Liquid


Buffer:	Liquid in PBS containing 50 % glycerol, 0.5 % BSA and 0.02 % sodium azide.

Sodium azide

Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.

Storage:	-20 °C,-80 °C		

Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



### **Western Blotting**

**Image 1.** Western Blot analysis of HT29 cells using APBA2BP Polyclonal Antibody