



[Go to Product page](#)

Datasheet for ABIN7185252
anti-HDAC5 antibody (C-Term)

2 Images

Overview

Quantity:	100 µg
Target:	HDAC5
Binding Specificity:	C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HDAC5 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), ELISA, Immunofluorescence (IF)

Product Details

Immunogen:	Synthesized peptide derived from the C-terminal region of Human NY-CO-9.
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.

Target Details

Target:	HDAC5
Alternative Name:	HDAC5 (HDAC5 Products)
Background:	Antigen NY CO 9 antibody, Antigen NY-CO-9 antibody, HD5 antibody, HDAC 5 antibody, HDAC5

Target Details

antibody, HDAC5_HUMAN antibody, Histone deacetylase 5 antibody, NY CO 9 antibody

UniProt: [Q9UQL6](#)

Pathways: [Regulation of Muscle Cell Differentiation](#), [Skeletal Muscle Fiber Development](#), [Monocarboxylic Acid Catabolic Process](#)

Application Details

Application Notes: WB:1:500-1:2000, IHC:1:100-1:300, IF:1:200-1:1000, ELISA:1:20000,

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: Liquid in PBS containing 50 % glycerol, 0.5 % BSA and 0.02 % sodium azide.


Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C


Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

Images



Western Blotting

Image 1. Western Blot analysis of NIH-3T3 K562 cells using NY-CO-9 Polyclonal Antibody



Western Blotting

Image 2. Western Blot analysis of HepG2 cells using NY-CO-9 Polyclonal Antibody