



[Go to Product page](#)

Datasheet for ABIN7185397  
**anti-PARD3 antibody (C-Term)**

1 Image

Overview

Quantity:	100 µg
Target:	PARD3
Binding Specificity:	C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This PARD3 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC), Immunofluorescence (IF)

Product Details

Immunogen:	Synthesized peptide derived from the C-terminal region of Human PARD3A.
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.

Target Details

Target:	PARD3
Alternative Name:	PARD3 ( <a href="#">PARD3 Products</a> )
Background:	Agouti signaling protein antibody, ASIP antibody, Atypical PKC isotype specific interacting

## Target Details

---

protein antibody, Atypical PKC isotype-specific-interacting protein antibody, Baz antibody, bazooka antibody, Coagulation factor II receptor-like 2 antibody, CTCL tumor antigen se2-5 antibody, F2rl2 antibody, PAR-3 antibody, par-3 family cell polarity regulator alpha antibody, par-3 family cell polarity regulator antibody, PAR3 alpha antibody, par3 antibody, PAR3-alpha antibody, PARD-3 antibody, Pard3 antibody, PARD3\_HUMAN antibody, PARD3A antibody, Partitioning defective 3 homolog antibody, Partitioning-defective 3 homolog antibody, Partitioning-defective protein 3, C. elegans, homolog of antibody, SE2-5L16 antibody, SE2-5LT1 antibody, SE2-5T2 antibody, Thrombin receptor-like 2 antibody

UniProt: [Q8TEW0](#)

Pathways: [Cell-Cell Junction Organization](#)

## Application Details

---

Application Notes: WB:1:500-1:2000, IHC:1:100-1:300, IF:1:200-1:1000, ELISA:1:20000,

Restrictions: For Research Use only

## Handling

---

Format: Liquid


Buffer: Liquid in PBS containing 50 % glycerol, 0.5 % BSA and 0.02 % sodium azide.

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



### Western Blotting

**Image 1.** Western Blot analysis of COLO205 cells using PARD3A Polyclonal Antibody