

Datasheet for ABIN7185463

anti-RAN antibody (C-Term)





Go to Product page

_			
	Ve.	rv	iew

Quantity:	100 μg	
Target:	RAN	
Binding Specificity:	C-Term	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This RAN antibody is un-conjugated	
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC)	
Product Details		
Immunogen:	Synthesized peptide derived from the C-terminal region of Human Ran.	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse, Rat	
Purification:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.	
Target Details		
Target:	RAN	
Alternative Name:	RAN (RAN Products)	
Background:	Androgen receptor associated protein 24 antibody, Androgen receptor-associated protein 24	

Target Details

antibody, ARA 24 antibody, ARA24 antibody, Gsp1 antibody, GTP binding nuclear protein RAN antibody, GTP-binding nuclear protein Ran antibody, GTPase Ran antibody, Guanosine triphosphatase Ran antibody, LPS antibody, OK/SW-cl.81 antibody, ran antibody, RAN member RAS oncogene family antibody, RAN_HUMAN antibody, RanGTPase antibody, Ras like protein TC4 antibody, Ras related nuclear protein antibody, Ras-like protein TC4 antibody, Ras-related nuclear protein antibody, RASL2 8 antibody, TC 4 antibody, TC4 antibody

UniProt:

P62826

Pathways:


Regulatory RNA Pathways, Intracellular Steroid Hormone Receptor Signaling Pathway, Protein targeting to Nucleus

Application Details

Application Notes:	WB:1:500-1:2000, IHC:1:100-1:300, ELISA:1:10000,
Restrictions:	For Research Use only

Handling

Format:	Liquid	
Buffer:	Liquid in PBS containing 50 % glycerol, 0.5 % BSA and 0.02 % sodium azide.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C,-80 °C	
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.	



Western Blotting

Image 1. Western Blot analysis of Jurkat HuvEc cells using Ran Polyclonal Antibody