

Datasheet for ABIN7185616
anti-TNFRSF1B antibody (C-Term)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µg
Target:	TNFRSF1B
Binding Specificity:	C-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TNFRSF1B antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC), Immunofluorescence (IF)

Product Details

Immunogen:	Synthesized peptide derived from the C-terminal region of Human TNF-R2.
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.

Target Details

Target:	TNFRSF1B
Alternative Name:	TNFRSF1B (TNFRSF1B Products)
Background:	CD120b antibody, p75 antibody, p75 TNF receptor antibody, p75TNFR antibody, p80 TNF alpha

Target Details

receptor antibody, p80 TNF-alpha receptor antibody, Soluble TNFR1B variant 1 antibody, TBP-2 antibody, TBPII antibody, TNF R II antibody, TNF R2 antibody, TNF R75 antibody, TNF-R2 antibody, TNF-RII antibody, TNFBR antibody, TNFR-II antibody, TNFR1B antibody, TNFR2 antibody, TNFR80 antibody, TNFRII antibody, Tnfrsf1b antibody, TNR1B_HUMAN antibody, Tumor necrosis factor beta receptor antibody, Tumor necrosis factor binding protein 2 antibody, Tumor necrosis factor receptor 2 antibody, Tumor necrosis factor receptor superfamily member 1B antibody, Tumor necrosis factor receptor type II antibody, Tumor necrosis factor-binding protein 2 antibody

UniProt: [P20333](#)

Pathways: [NF-kappaB Signaling](#), [Apoptosis](#), [Cellular Response to Molecule of Bacterial Origin](#), [Hepatitis C](#), [Ubiquitin Proteasome Pathway](#)

Application Details

Application Notes: WB:1:500-1:2000, IHC:1:100-1:300, IF:1:200-1:1000, ELISA:1:20000,

Restrictions: For Research Use only

Handling

Format: Liquid


Buffer: Liquid in PBS containing 50 % glycerol, 0.5 % BSA and 0.02 % sodium azide.

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Western Blotting

Image 1. Western Blot analysis of NIH-3T3 K562 cells using TNF-R2 Polyclonal Antibody