

Datasheet for ABIN7185893
anti-ADRA2A antibody (Internal Region)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µg
Target:	ADRA2A
Binding Specificity:	Internal Region
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ADRA2A antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (IF)

Product Details

Purpose:	ADRA2A Antibody
Immunogen:	Synthesized peptide derived from the Internal region of Human AR-alpha2A.
Isotype:	IgG
Purification:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.

Target Details

Target:	ADRA2A
Alternative Name:	ADRA2A
Background:	ADA2A_HUMAN antibody, ADRA2 antibody, ADRA2A antibody, ADRA2R antibody, ADRAR

Target Details

antibody, Adrenergic alpha 2A receptor antibody, Alpha 2 adrenergic receptor subtype C10 antibody, Alpha 2A adrenergic receptor antibody, Alpha 2AAR subtype C10 antibody, Alpha-2 adrenergic receptor subtype C10 antibody, alpha-2-adrenergic receptor, platelet type antibody, Alpha-2A adrenergic receptor antibody, Alpha-2A adrenoceptor antibody, Alpha-2A adrenoceptor antibody, Alpha-2AAR antibody, ALPHA2AAR antibody, OTTHUMP00000058849 antibody, ZNF32 antibody

UniProt: [P08913](#)

Pathways: [EGFR Signaling Pathway](#), [Negative Regulation of Hormone Secretion](#), [Carbohydrate Homeostasis](#), [cAMP Metabolic Process](#), [Regulation of G-Protein Coupled Receptor Protein Signaling](#), [Negative Regulation of Transporter Activity](#)

Application Details

Application Notes: Optimal working dilution should be determined by the investigator.

Restrictions: For Research Use only

Handling

Format: Liquid


Buffer: PBS containing 50 % glycerol, 0.5 % BSA and 0.02 % sodium azide.

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Western Blotting

Image 1. Western Blot analysis of JK cells using AR- α 2A Polyclonal Antibody