antibodies -online.com





anti-CD56 antibody (Internal Region)

4 Images



Go to Product page

Overview

Quantity:	100 μg
Target:	CD56 (NCAM1)
Binding Specificity:	Internal Region
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CD56 antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), ELISA

Product Details

Immunogen:	Synthesized peptide derived from the Internal region of Human CD56.
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.

Target Details

Target:	CD56 (NCAM1)
Alternative Name:	NCAM1 (NCAM1 Products)
Background:	Antigen MSK39 identified by monoclonal antibody 5.1H11 antibody, antigen recognized by

Target Details

monoclonal antibody 5.1H11 antibody, CD56 antibody, cell adhesion molecule, neural, 1 antibody, MSK 39 antibody, MSK39 antibody, N-CAM-1 antibody, NCAM 1 antibody, NCAM antibody, NCAM C antibody, NCAM-1 antibody, NCAM1 antibody, NCAM1_HUMAN antibody, NCAMC antibody, Neural cell adhesion molecule 1 antibody, Neural cell adhesion molecule NCAM antibody, OTTHUMP00000235666 antibody

UniProt:

P13591


Application Details

Application Notes:	WB:1:500-1:2000, IHC:1:100-1:300, ELISA:1:10000,
Restrictions:	For Research Use only

Handling


Format:	Liquid
Buffer:	Liquid in PBS containing 50 % glycerol, 0.5 % BSA and 0.02 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

Images




Immunohistochemistry

Image 1. Immunohistochemical analysis of paraffinembedded human-kidney, antibody was diluted at 1:200



Western Blotting

Image 2. Western blot analysis of mouse-lung mouse-heart lysis using NCAM1 antibody. Antibody was diluted at 1:1000. Secondary antibody was diluted at 1:20000



Immunohistochemistry

Image 3. Immunohistochemical analysis of paraffinembedded human-brain, antibody was diluted at 1:200

Please check the product details page for more images. Overall 4 images are available for ABIN7186240.