

Datasheet for ABIN7186703
anti-FES antibody (Internal Region)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µg
Target:	FES
Binding Specificity:	Internal Region
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This FES antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC)

Product Details

Immunogen:	Synthesized peptide derived from the Internal region of Human Fes.
Isotype:	IgG
Cross-Reactivity:	Human, Mouse
Purification:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.

Target Details

Target:	FES
Alternative Name:	FES (FES Products)
Background:	C-fes/fps protein antibody, cFES antibody, Feline sarcoma (Snyder Theilen) viral (v

Target Details

fes)/Fujinami avian sarcoma (PRCII) viral (v fps) oncogene homolog antibody, feline sarcoma (Snyder-Theilen) viral (v-fes)/Fujinami antibody, Feline sarcoma oncogene antibody, Feline sarcoma/Fujinami avian sarcoma oncogene homolog antibody, fes antibody, FES proto oncogene, tyrosine kinase antibody, FES_HUMAN antibody, FPS antibody, Oncogene FES antibody, Oncogene FES feline sarcoma virus antibody, P93c fes antibody, Proto oncogene tyrosine protein kinase Fes/Fps antibody, Proto-oncogene c-Fes antibody, Proto-oncogene c-Fps antibody, proto-oncogene tyrosine-protein kinase Fes/Fps antibody, Tyrosine-protein kinase Fes/Fps antibody


UniProt:	P07332
Pathways:	Regulation of Leukocyte Mediated Immunity , Positive Regulation of Immune Effector Process , Signaling Events mediated by VEGFR1 and VEGFR2

Application Details

Application Notes:	WB:1:500-1:2000, IHC:1:100-1:300, ELISA:1:20000,
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	Liquid in PBS containing 50 % glycerol, 0.5 % BSA and 0.02 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Western Blotting

Image 1. Western Blot analysis of HuvEc cells using Fes Polyclonal Antibody