antibodies -online.com





anti-KCNH1 antibody (Internal Region)



Image



Go to Product page

Overview

Quantity:	100 μg
Target:	KCNH1
Binding Specificity:	Internal Region
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This KCNH1 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA

Product Details

Immunogen:	Synthesized peptide derived from the Internal region of Human KCNH1.
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.

Target Details

Target:	KCNH1
Alternative Name:	KCNH1 (KCNH1 Products)
Background:	EAG antibody, EAG channel 1 antibody, EAG1 antibody, Ether a go go potassium channel 1

Target Details

antibody, Ether a go go, Drosophila, homolog of antibody, Ether-a-go-go potassium channel 1 antibody, ether-a-go-go, Drosophila, homolog of antibody, h eag antibody, h-eag antibody, hEAG1 antibody, Kcnh1 antibody, KCNH1_HUMAN antibody, Kv10.1 antibody, M eag antibody, MGC124419 antibody, MGC124420 antibody, MGC142269 antibody, Potassium voltage gated channel subfamily H (eag related), member 1 antibody, Potassium voltage gated channel subfamily H member 1 antibody, Potassium voltage-gated channel subfamily H member 1 antibody, Voltage gated potassium channel subunit Kv10.1 antibody, Voltage-gated potassium channel subunit Kv10.1 antibody

UniProt:

095259


Application Details

Storage Comment:

Application Notes:	WB:1:500-1:2000, ELISA:1:5000,
Restrictions:	For Research Use only
Handling	

Format:	Liquid
Buffer:	Liquid in PBS containing 50 % glycerol, 0.5 % BSA and 0.02 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C

Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Western Blotting

Image 1. Western Blot analysis of HuvEc cells using KCNH1 Polyclonal Antibody