antibodies .- online.com





anti-NFATC2IP antibody (Internal Region)



Go to Product page

()	11/0	K\ /	iew	1
	\cup	'I V/I	$\square \vee \vee$	ı

Quantity:	100 μg
Target:	NFATC2IP
Binding Specificity:	Internal Region
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This NFATC2IP antibody is un-conjugated
Application:	Western Blotting (WB), ELISA

Product Details

Immunogen:	Synthesized peptide derived from the Internal region of Human NFATc2IP.
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.

Target Details

Target:	NFATC2IP
Alternative Name:	NFATC2IP (NFATC2IP Products)
Background: 45 kDa NF-AT-interacting protein antibody, 45 kDa NFAT-interacting protein antibody,	

Target Details

cytoplasmic 2-interacting protein antibody, ESC2 antibody, NF2IP_HUMAN antibody, NFAT-interacting protein, 45-KD antibody, NFATC2-interacting protein antibody, Nfatc2ip antibody, NIP45 antibody, Nuclear factor of activated T-cells antibody, Nuclear factor of activated T-cells, cytoplasmic 2-interacting protein antibody, nuclear factor of activated T-cells, cytoplasmic, calcineurin-dependent 2 interacting protein antibody, RAD60 antibody

UniProt:

Q8NCF5

Application Details

Application Notes:	WB:1:500-1:2000, ELISA:1:10000,
Restrictions:	For Research Use only

Handling

Format:	Liquid	
Buffer:	Liquid in PBS containing 50 % glycerol, 0.5 % BSA and 0.02 % sodium azide.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C,-80 °C	
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.	