



[Go to Product page](#)

Datasheet for ABIN7187901

anti-RAD51C antibody (Internal Region)

1 Image

Overview

| | |
|----------------------|---|
| Quantity: | 100 µg |
| Target: | RAD51C |
| Binding Specificity: | Internal Region |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This RAD51C antibody is un-conjugated |
| Application: | Western Blotting (WB), ELISA, Immunofluorescence (IF), Immunohistochemistry (IHC) |

Product Details

| | |
|-------------------|---|
| Immunogen: | Synthesized peptide derived from the Internal region of Human Rad51C. |
| Isotype: | IgG |
| Cross-Reactivity: | Human, Monkey |
| Purification: | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. |

Target Details

| | |
|-------------------|--|
| Target: | RAD51C |
| Alternative Name: | RAD51C (RAD51C Products) |
| Background: | BROVCA3 antibody, DNA repair protein RAD51 homolog 3 antibody, FANCO antibody, |

Target Details

MGC104277 antibody, R51H3 antibody, RA51C_HUMAN antibody, Rad 51C antibody, RAD51 homolog C (S. cerevisiae) antibody, Rad51 homolog c (S. cerevisiae), isoform CRA_b antibody, RAD51 homolog C antibody, RAD51 like protein 2 antibody, RAD51 paralog C antibody, RAD51, S. cerevisiae, homolog of, C antibody, RAD51-like protein 2 antibody, RAD51C antibody, RAD51C protein antibody, RAD51L2 antibody, RAD51L2/RAD51C protein antibody, RGD1563765 antibody, Yeast RAD51 homolog 3 antibody

UniProt: [O43502](#)

Pathways: [DNA Damage Repair](#)

Application Details

Application Notes: WB:1:500-1:2000, IHC:1:100-1:300, IF:1:200-1:1000, ELISA:1:5000,

Restrictions: For Research Use only

Handling

Format: Liquid


Buffer: Liquid in PBS containing 50 % glycerol, 0.5 % BSA and 0.02 % sodium azide.

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Western Blotting

Image 1. Western Blot analysis of COS7 cells using Rad51C Polyclonal Antibody