
antibodies -online.com





anti-BCCIP antibody (Internal Region)



| _ | | |
|-------|------|--|
| ()Ver | view | |

| Quantity: | 100 μg |
|----------------------|---|
| Target: | BCCIP |
| Binding Specificity: | Internal Region |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This BCCIP antibody is un-conjugated |
| Application: | Western Blotting (WB), ELISA |
| Product Details | |
| Immunogen: | Synthesized peptide derived from the Internal region of Human TOK-1. |
| Isotype: | IgG |
| Cross-Reactivity: | Human |
| Purification: | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. |
| | |

Target Details

| Target: | BCCIP |
|-------------------|--|
| Alternative Name: | BCCIP (BCCIP Products) |
| Background: | Bccip antibody, BCCIP_HUMAN antibody, BCCIPalpha antibody, BCCIPbeta antibody, BRCA2 |

Target Details

and CDKN1A interacting protein antibody, BRCA2 and CDKN1A-interacting protein antibody, BRCA2 and Cip1/p21 interacting protein antibody, Cdk inhibitor p21 binding protein antibody, P21 and CDK associated protein 1 antibody, P21- and CDK-associated protein 1 antibody, Protein TOK-1 antibody, Protein TOK1 antibody, TOK 1 antibody, TOK 1 antibody, TOK 1 antibody, TOK1 antibody

UniProt:

Q9P287

Application Details

| Application Notes: | WB:1:500-1:2000, ELISA:1:5000, |
|--------------------|--------------------------------|
| Restrictions: | For Research Use only |

Handling

| Format: | Liquid |
|--------------------|--|
| Buffer: | Liquid in PBS containing 50 % glycerol, 0.5 % BSA and 0.02 % sodium azide. |
| Preservative: | Sodium azide |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. |
| Storage: | -20 °C,-80 °C |
| Storage Comment: | Upon receipt, store at -20°C or -80°C. Avoid repeated freeze. |