

Datasheet for ABIN7188537 anti-PYCARD antibody (N-Term)

1 Image



Go to Product page

\sim				
()	ve.	r\/	101	Λ

Overview		
Quantity:	100 μg	
Target:	PYCARD	
Binding Specificity:	N-Term	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This PYCARD antibody is un-conjugated	
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC), Immunofluorescence (IF)	
Product Details		
Immunogen:	Synthesized peptide derived from the N-terminal region of Human ASC.	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse, Rat	
Purification:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.	
Target Details		
Target:	PYCARD	
Alternative Name:	PYCARD (PYCARD Products)	
Background:	Apoptosis associated speck like protein containing a CARD antibody, Apoptosis-associated	

speck-like protein containing a CARD antibody, ASC antibody, ASC_HUMAN antibody, CARD 5 antibody, CARD5 antibody, Caspase recruitment domain containing protein 5 antibody, Caspase recruitment domain-containing protein 5 antibody, hASC antibody, MGC10332 antibody, PYCARD antibody, PYD and CARD domain containing antibody, PYD and CARD domain containing protein antibody, PYD and CARD domain-containing protein antibody, Target of methylation induced silencing 1 antibody, Target of methylation-induced silencing 1 antibody, TMS 1 antibody, TMS antibody, TMS1 antibody

UniProt:

Q9ULZ3

Pathways:


Activation of Innate immune Response, Cellular Response to Molecule of Bacterial Origin,
Regulation of Actin Filament Polymerization, Positive Regulation of Endopeptidase Activity,
Activated T Cell Proliferation, Inflammasome

Application Details

Application Notes:	WB:1:500-1:2000, IHC:1:100-1:300, IF:1:200-1:1000, ELISA:1:40000,
Restrictions:	For Research Use only

Handling

Format:	Liquid	
Buffer:	Liquid in PBS containing 50 % glycerol, 0.5 % BSA and 0.02 % sodium azide.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C,-80 °C	
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.	



Western Blotting

Image 1. Western Blot analysis of 823 293T cells using ASC Polyclonal Antibody