# antibodies -online.com







## anti-BCAT1 antibody (AA 321-386)

**Images** 



$\sim$			
	IV/E	۱//۱۲	$I \cap V$

Quantity:	100 μL	
Target:	BCAT1	
Binding Specificity:	AA 321-386	
Reactivity:	Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This BCAT1 antibody is un-conjugated	
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Flow Cytometry (FACS), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))	

### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human BCAT1
Isotype:	IgG
Cross-Reactivity:	Mouse, Rat
Predicted Reactivity:	Human,Dog,Cow,Sheep,Pig,Horse,Chicken
Purification:	Purified by Protein A.

## **Target Details**

Target:	BCAT1

## **Target Details**


Alternative Name:	BCAT1 (BCAT1 Products)
Background:	Synonyms: BCT1, PP18, BCATC, ECA39, MECA39, PNAS121, Branched-chain-amino-acid aminotransferase, cytosolic, BCAT(c), Protein ECA39, BCAT1  Background: Catalyzes the first reaction in the catabolism of the essential branched chain amino acids leucine, isoleucine, and valine.
Gene ID:	586
UniProt:	P54687

## **Application Details**

Application Notes:	WB 1:300-5000
	ELISA 1:500-1000
	FCM 1:20-100
	IHC-P 1:200-400
	IHC-F 1:100-500
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only


## Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS( pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months




#### **Immunohistochemistry**

**Image 1.** Formalin-fixed and paraffin embedded rat brain labeled with Anti-BCAT1 Polyclonal Antibody, Unconjugated (ABIN718856) at 1:200 followed by conjugation to the secondary antibody and DAB staining.



#### **Western Blotting**

**Image 2.** Mouse brain lysates probed with Rabbit Anti-BCAT1 Polyclonal Antibody at 1:5000 90min in 37°C.



### **Immunohistochemistry (Paraffin-embedded Sections)**

**Image 3.** Formalin-fixed and paraffin embedded rat kidney labeled with Rabbit Anti-BCAT1 Polyclonal Antibody, Unconjugated at 1:200 followed by conjugation to the secondary antibody and DAB staining