antibodies -online.com







anti-HMGB2 antibody (N-Term)

Images



\sim	
()\/白	rview
OVC	

Quantity:	100 μg
Target:	HMGB2
Binding Specificity:	N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This HMGB2 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC), Immunofluorescence (IF)

Product Details

Immunogen:	Synthesized peptide derived from the N-terminal region of Human BRAF35.
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.

Target Details

Target:	HMGB2
Alternative Name:	HMG2B (HMGB2 Products)
Background:	BRAF25 antibody, BRAF35 antibody, BRCA2 associated factor 35 antibody, BRCA2-associated

Target Details

factor 35 antibody, High Mobility Group Protein 20B antibody, HM20B_HUMAN antibody, HMG box containing protein 20B antibody, HMG box-containing protein 20B antibody, HMG domain-containing protein 2 antibody, HMG domain-containing protein HMGX2 antibody, HMG20B antibody, SMARCE1-related protein antibody, SMARCE1r antibody, sox like antibody, Sox like transcriptional factor antibody, Sox-like transcriptional factor antibody, SOXL antibody, Structural DNA binding protein BRAF35 antibody, Structural DNA-binding protein BRAF35 antibody, SWI/SNF-related matrix-associated actin-dependent regulator of chromatin subfamily E member 1-related antibody

UniProt:

Q9P0W2

Pathways:


Cellular Response to Molecule of Bacterial Origin


Application Details

Application Notes:	WB:1:500-1:2000, IHC:1:100-1:300, IF:1:200-1:1000, ELISA:1:20000,
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	Liquid in PBS containing 50 % glycerol, 0.5 % BSA and 0.02 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.





Western Blotting

Image 1. Western Blot analysis of HELA 293T cells using BRAF35 Polyclonal Antibody

Western Blotting

Image 2. Western Blot analysis of AD293 cells using BRAF35 Polyclonal Antibody