



[Go to Product page](#)

Datasheet for ABIN7188668
anti-CSK antibody (N-Term)

1 Image

Overview

| | |
|----------------------|---|
| Quantity: | 100 µg |
| Target: | CSK |
| Binding Specificity: | N-Term |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This CSK antibody is un-conjugated |
| Application: | Western Blotting (WB), ELISA, Immunofluorescence (IF) |

Product Details

| | |
|-------------------|---|
| Immunogen: | Synthesized peptide derived from the N-terminal region of Human Csk. |
| Isotype: | IgG |
| Cross-Reactivity: | Human, Mouse, Rat |
| Purification: | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen. |

Target Details

| | |
|-------------------|---|
| Target: | CSK |
| Alternative Name: | CSK (CSK Products) |
| Background: | C SRC antibody, C SRC kinase antibody, C src Tyrosine Kinase antibody, C-SRC kinase antibody, |

Target Details

c-src tyrosine kinase antibody, Csk A antibody, CSK antibody, CSK_HUMAN antibody, CYTOPLASMIC TYROSINE KINASE antibody, EC 2.7.10.2 antibody, MGC112926 antibody, MGC117393 antibody, MGC154049 antibody, P60 Src antibody, Protein tyrosine kinase CYL antibody, Protein-tyrosine kinase CYL antibody, Proto oncogene tyrosine protein kinase antibody, Tyrosine protein kinase CSK antibody, Tyrosine-protein kinase CSK antibody, zgc:154049 antibody

UniProt: [P41240](#)

Pathways: [TCR Signaling](#), [EGFR Signaling Pathway](#), [Cell-Cell Junction Organization](#), [CXCR4-mediated Signaling Events](#)

Application Details

Application Notes: WB:1:500-1:2000, IF:1:200-1:1000, ELISA:1:5000,

Restrictions: For Research Use only

Handling

Format: Liquid


Buffer: Liquid in PBS containing 50 % glycerol, 0.5 % BSA and 0.02 % sodium azide.

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Western Blotting

Image 1. Western Blot analysis of Jurkat cells using Csk Polyclonal Antibody