

Datasheet for ABIN7188712
anti-E-cadherin antibody (N-Term)



[Go to Product page](#)

2 Images

Overview

Quantity:	100 µg
Target:	E-cadherin (CDH1)
Binding Specificity:	N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This E-cadherin antibody is un-conjugated
Application:	Western Blotting (WB), Immunohistochemistry (IHC), ELISA, Immunofluorescence (IF)

Product Details

Immunogen:	Synthesized peptide derived from the N-terminal region of Human E-cadherin.
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.

Target Details

Target:	E-cadherin (CDH1)
Alternative Name:	CDH1 (CDH1 Products)
Background:	Arc 1 antibody, CADH1_HUMAN antibody, Cadherin 1 antibody, cadherin 1 type 1 E-cadherin

Target Details

	antibody, Cadherin-1 antibody, Cadherin1 antibody, CAM 120/80 antibody, CD 324 antibody, CD324 antibody, CD324 antigen antibody, cdh1 antibody, CDHE antibody, E-Cad/CTF3 antibody, E-cadherin antibody, ECAD antibody, Epithelial cadherin antibody, epithelial calcium dependant adhesion protein antibody, LCAM antibody, Liver cell adhesion molecule antibody, UVO antibody, Uvomorulin antibody
UniProt:	P12830
Pathways:	WNT Signaling, Sensory Perception of Sound, Cell-Cell Junction Organization, Tube Formation


Application Details

Application Notes:	WB:1:500-1:2000, IHC:1:100-1:300, IF:1:200-1:1000, ELISA:1:40000,
Restrictions:	For Research Use only

Handling


Format:	Liquid
Buffer:	Liquid in PBS containing 50 % glycerol, 0.5 % BSA and 0.02 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

Images



Western Blotting

Image 1. Western Blot analysis of COLO 293T HELA cells using E-cadherin Polyclonal Antibody



Western Blotting

Image 2. Western Blot analysis of 293 cells using E-cadherin Polyclonal Antibody