antibodies - online.com







anti-EPS8-Like 2 antibody (N-Term)

Images



\sim				
	$ V \cap$	r\/I	19	٨

Background:

Overview		
Quantity:	100 μg	
Target:	EPS8-Like 2 (EPS8L2)	
Binding Specificity:	N-Term	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This EPS8-Like 2 antibody is un-conjugated	
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC), Immunofluorescence (IF)	
Product Details		
Immunogen:	Synthesized peptide derived from the N-terminal region of Human Eps8L2.	
Isotype:	IgG	
Cross-Reactivity:	Human, Mouse	
Purification:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using	
	epitope-specific immunogen.	
Target Details		
Target:	EPS8-Like 2 (EPS8L2)	
Alternative Name:	EPS8L2 (EPS8L2 Products)	

Epidermal growth factor receptor kinase substrate 8 like protein 2 antibody, Epidermal growth

Target Details

factor receptor kinase substrate 8-like protein 2 antibody, Epidermal growth factor receptor pathway substrate 8 like protein 2 antibody, Epidermal growth factor receptor pathway substrate 8 related protein 2 antibody, Epidermal growth factor receptor pathway substrate 8-related protein 2 antibody, EPS8 like 2 antibody, EPS8 like protein 2 antibody, EPS8 related protein 2 antibody, EPS8-like protein 2 antibody, EPS8-related protein 2 antibody, EPS8L 2 antibody, EPS8L2 antibody, EPS8L2 antibody, EPS8R2 antibody, ES8L2_HUMAN antibody, FLJ16738 antibody, FLJ21935 antibody, FLJ22171 antibody, MGC126530 antibody, MGC3088 antibody


UniProt:


Q9H6S3

Application Details

Application Notes:	WB:1:500-1:2000, IHC:1:100-1:300, IF:1:200-1:1000, ELISA:1:40000,	
Restrictions:	For Research Use only	
Handling		

Format:	Liquid	
Buffer:	Liquid in PBS containing 50 % glycerol, 0.5 % BSA and 0.02 % sodium azide.	
Preservative:	Sodium azide	
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	-20 °C,-80 °C	
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.	





Western Blotting

Image 1. Western Blot analysis of A549 K562 cells using Eps8L2 Polyclonal Antibody

Western Blotting

Image 2. Western Blot analysis of Hela cells using Eps8L2 Polyclonal Antibody