

Datasheet for ABIN7189032
anti-KCNK3 antibody (N-Term)



[Go to Product page](#)

1 Image

Overview

Quantity:	100 µg
Target:	KCNK3
Binding Specificity:	N-Term
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This KCNK3 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA

Product Details

Immunogen:	Synthesized peptide derived from the N-terminal region of Human TASK-1.
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.

Target Details

Target:	KCNK3
Alternative Name:	KCNK3 (KCNK3 Products)
Background:	Acid sensitive potassium channel protein TASK 1 antibody, Acid sensitive potassium channel

Target Details

protein TASK antibody, Acid-sensitive potassium channel protein TASK-1 antibody, Cardiac two pore background K(+) channel antibody, cTBAK 1 antibody, K2p3.1 antibody, KCNK3 antibody, KCNK3_HUMAN antibody, OAT1 antibody, Potassium channel subfamily K member 3 antibody, potassium channel, subfamily K, member 3 antibody, Potassium inwardly rectifying channel subfamily K member 3 antibody, PPH4 antibody, rTASK antibody, TASK 1 antibody, TASK antibody, TBAK1 antibody, TWIK related acid sensitive K+ channel antibody, TWIK-related acid-sensitive K(+) channel 1 antibody, Two P domain potassium channel antibody, Two pore K(+) channel KT3. antibody, Two pore K(+) channel KT3.1 antibody, Two pore potassium channel KT3.1 antibody

UniProt: [O14649](#)

Application Details

Application Notes: WB:1:500-1:2000, ELISA:1:10000,

Restrictions: For Research Use only

Handling

Format: Liquid


Buffer: Liquid in PBS containing 50 % glycerol, 0.5 % BSA and 0.02 % sodium azide.

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Western Blotting

Image 1. Western blot analysis of mouse-brain using TASK-1 antibody. Antibody was diluted at 1:500. Secondary antibody was diluted at 1:20000