antibodies - online.com







anti-TICAM1 antibody (AA 663-712)



Images



()	1 /	-	r٧	/ 1	0	A .
	1//	\vdash	1 \/	/ I	_	۱/۱
\sim	٧.	\sim	1 V		$\overline{}$	V١

Quantity:	100 μg
Target:	TICAM1
Binding Specificity:	AA 663-712
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TICAM1 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA

Product Details

Immunogen:	Synthesized peptide derived from TRIF at AA range: 663-712
Isotype:	lgG
Cross-Reactivity:	Human
Purification:	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.

Target Details

Target:	TICAM1
Alternative Name:	TICAM1 (TICAM1 Products)
Background:	IIAE6 antibody, MGC35334 antibody, MyD88 3 antibody, Proline rich vinculin and TIR domain

containing protein B antibody, Proline-rich antibody, PRVTIRB antibody, Putative NF kappa B activating protein 502H antibody, Putative NF-kappa-B-activating protein 502H antibody, Putative NFkB activating protein antibody, TCAM1_HUMAN antibody, TICAM 1 antibody, TICAM-1 antibody, Ticam1 antibody, TIR domain containing adapter molecule 1 antibody, TIR domain containing adapter protein inducing IFN beta antibody, TIR domain containing adapter inducing interferon beta antibody, TIR domain-containing adapter molecule 1 antibody, TIR domain-containing adapter protein inducing IFN-beta antibody, Toll interleukin 1 receptor domain containing adapter protein inducing interferon beta antibody, Toll like receptor adaptor molecule 1 antibody, Toll-interleukin-1 receptor domain-containing adapter protein inducing interferon beta antibody, Toll-interleukin-1 receptor domain-containing adapter protein inducing interferon beta antibody, TRIF antibody, TRIF protein antibody, vinculin and TIR domain-containing protein B antibody

UniProt:

08IUC6

Pathways:

TLR Signaling, Activation of Innate immune Response, Cellular Response to Molecule of Bacterial Origin, Hepatitis C, Toll-Like Receptors Cascades

Application Details

Application Notes:


WB:1:500-2000, ELISA:1:10000-20000,

Restrictions:

For Research Use only


Handling

Format:	Liquid
Buffer:	Liquid in PBS containing 50 % glycerol, 0.5 % BSA and 0.02 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.




Immunohistochemistry

Image 1. Immunohistochemical analysis of paraffinembedded human-spleen, antibody was diluted at 1:200



Western Blotting

Image 2. Western Blot analysis of HEPG2 cells using TRIF Polyclonal Antibody diluted at 1:1000. Secondary antibody was diluted at 1:20000



Immunohistochemistry

Image 3. Immunohistochemical analysis of paraffinembedded human-lung-cancer, antibody was diluted at 1:200

Please check the product details page for more images. Overall 5 images are available for ABIN7189088.