

Datasheet for ABIN7189448  
**anti-IL17D antibody (AA 141-190)**[Go to Product page](#)

## 3 Images

## Overview

|                      |                                      |
|----------------------|--------------------------------------|
| Quantity:            | 100 µg                               |
| Target:              | IL17D                                |
| Binding Specificity: | AA 141-190                           |
| Reactivity:          | Human                                |
| Host:                | Rabbit                               |
| Clonality:           | Polyclonal                           |
| Conjugate:           | This IL17D antibody is un-conjugated |
| Application:         | ELISA, Immunohistochemistry (IHC)    |

## Product Details

|                   |   |
|-------------------|---|
| Immunogen:        | Synthetic peptide from Human protein at AA range: 141-190   |
| Isotype:          | IgG   |
| Cross-Reactivity: | Human   |
| Purification:     | The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen. |

## Target Details

|                   |   |
|-------------------|---|
| Target:           | IL17D   |
| Alternative Name: | IL17D ( <a href="#">IL17D Products</a> )  |
| Background:       | IL 17D antibody, IL 22 antibody, IL 27 antibody, IL-17D antibody, IL-27 antibody, IL17D antibody, |

## Target Details

IL17D\_HUMAN antibody, IL27 antibody, Interleukin 17D antibody, Interleukin 27 antibody, Interleukin-17D antibody, Interleukin-27 antibody

UniProt: [Q8TAD2](#)

Pathways: [Cellular Response to Molecule of Bacterial Origin](#)

## Application Details

Application Notes: IHC:1:50-300, ELISA:1:10000-20000,

Restrictions: For Research Use only

## Handling

Format: Liquid

Buffer: PBS, pH 7.4, containing 0.02 % sodium azide as Preservative and 50 % Glycerol.


Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C


Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

## Images




### Immunohistochemistry

**Image 1.** Immunohistochemical analysis of paraffin-embedded Human-brain, antibody was diluted at 1:100



#### Immunohistochemistry

**Image 2.** Immunohistochemical analysis of paraffin-embedded Human-tonsil, antibody was diluted at 1:100



#### Immunohistochemistry

**Image 3.** Immunohistochemical analysis of paraffin-embedded Human-tonsil, antibody was diluted at 1:100