

Datasheet for ABIN7189485

anti-CD3 epsilon antibody (AA 31-80)**2** Images[Go to Product page](#)

Overview

Quantity:	100 µg
Target:	CD3 epsilon (CD3E)
Binding Specificity:	AA 31-80
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CD3 epsilon antibody is un-conjugated
Application:	Immunohistochemistry (IHC), ELISA

Product Details

Immunogen:	Synthetic peptide from Human protein at AA range: 31-80
Isotype:	IgG
Cross-Reactivity:	Human
Purification:	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.

Target Details

Target:	CD3 epsilon (CD3E)
Alternative Name:	CD3E (CD3E Products)
Background:	CD300 antigen like family member E antibody, CD300 antigen-like family member E antibody,

Target Details

CD300e antibody, CD300e antigen antibody, CD300e molecule antibody, CD300LE antibody, CLM 2 antibody, CLM-2 antibody, CLM2 antibody, CLM2_HUMAN antibody, CMRF35 A5 antibody, CMRF35 like molecule 2 antibody, CMRF35-A5 antibody, CMRF35-like molecule 2 antibody, CMRF35A5 antibody, Immune receptor expressed on myeloid cells 2 antibody, IREM 2 antibody, IREM-2 antibody, IREM2 antibody, PlgR 2 antibody, PlgR-2 antibody, PlgR2 antibody, Poly Ig receptor 2 antibody, Poly-Ig receptor 2 antibody, Polymeric immunoglobulin receptor 2 antibody

UniProt: [Q496F6](#)

Pathways: [TCR Signaling](#), [CXCR4-mediated Signaling Events](#), [Ubiquitin Proteasome Pathway](#)

Application Details

Application Notes: IHC:1:50-300, ELISA:1:10000-20000,

Restrictions: For Research Use only

Handling

Format: Liquid


Buffer: PBS, pH 7.4, containing 0.02 % sodium azide as Preservative and 50 % Glycerol.

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.


Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Immunohistochemistry

Image 1. Immunohistochemical analysis of paraffin-embedded human-brain, antibody was diluted at 1:200



Immunohistochemistry

Image 2. Immunohistochemical analysis of paraffin-embedded human-kidney, antibody was diluted at 1:200