



[Go to Product page](#)

Datasheet for ABIN7189495

anti-CYP26B1 antibody (AA 391-440)

1 Image

Overview

Quantity:	100 µg
Target:	CYP26B1
Binding Specificity:	AA 391-440
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CYP26B1 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA

Product Details

Immunogen:	Synthetic peptide from Human protein at AA range: 391-440
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.

Target Details

Target:	CYP26B1
Alternative Name:	CYP26B1 (CYP26B1 Products)
Background:	CP26 antibody, CP26B_HUMAN antibody, CYP26A2 antibody, cyp26b1 antibody, Cytochrome

Target Details

P450 26A2 antibody, Cytochrome P450 26B1 antibody, Cytochrome P450 family 26 subfamily B polypeptide 1 antibody, Cytochrome P450 retinoic acid-inactivating 2 antibody, Cytochrome P450 retinoid metabolizing protein antibody, Cytochrome P450 subfamily XXVIA, polypeptide 2 antibody, Cytochrome P450 subfamily XXVIB polypeptide 1 antibody, Cytochrome P450RAI-2 antibody, DKFZp686G0638 antibody, dol antibody, EC 1.14. antibody, fc21d03 antibody, MGC129613 antibody, P450 26A2 antibody, P450 retinoic acid inactivating 2 antibody, P450RAI 2 antibody, P450RAI2 antibody, Retinoic acid metabolizing cytochrome antibody, Retinoic acid-metabolizing cytochrome antibody, RHFCA antibody, stocksteif antibody, wu:fc21d03 antibody, wu:fc26h10 antibody, zgc:76999 antibody

UniProt: [Q9NR63](#)

Pathways: [Retinoic Acid Receptor Signaling Pathway](#), [Regulation of Muscle Cell Differentiation](#), [Monocarboxylic Acid Catabolic Process](#)

Application Details

Application Notes: WB:1:500-10000, ELISA:1:10000,

Restrictions: For Research Use only

Handling

Format: Liquid


Buffer: PBS, pH 7.4, containing 0.02 % sodium azide as Preservative and 50 % Glycerol.

Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C

Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Western Blotting

Image 1. Western Blot analysis of mouse-brain cells using Antibody diluted at 800. Secondary antibody was diluted at 1:20000