

Datasheet for ABIN7189517
anti-TNIP2 antibody (AA 61-110)[Go to Product page](#)

4 Images

Overview

| | |
|----------------------|--------------------------------------|
| Quantity: | 100 µg |
| Target: | TNIP2 |
| Binding Specificity: | AA 61-110 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This TNIP2 antibody is un-conjugated |
| Application: | ELISA, Immunohistochemistry (IHC) |

Product Details

| | |
|-------------------|---|
| Immunogen: | Synthetic peptide from Human protein at AA range: 61-110 |
| Isotype: | IgG |
| Cross-Reactivity: | Human, Mouse, Rat |
| Purification: | The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen. |

Target Details

| | |
|-------------------|---|
| Target: | TNIP2 |
| Alternative Name: | TNIP2 (TNIP2 Products) |
| Background: | A20 binding inhibitor of NF kappaB activation 2 antibody, A20-binding inhibitor of NF-kappa-B |

Target Details

activation 2 antibody, ABIN 2 antibody, ABIN-2 antibody, Fetal liver LKB1-interacting protein antibody, FLIP1 antibody, KLIP antibody, LKB1 interacting protein antibody, TNFAIP3 interacting protein 2 antibody, TNFAIP3-interacting protein 2 antibody, TNIP2 antibody, TNIP2_HUMAN antibody

UniProt: [Q8NFZ5](#)

Pathways: [Activation of Innate immune Response](#), [Cellular Response to Molecule of Bacterial Origin](#)

Application Details

Application Notes: IHC:1:50-300, ELISA:1:10000-20000,

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: PBS, pH 7.4, containing 0.02 % sodium azide as Preservative and 50 % Glycerol.


Preservative: Sodium azide

Precaution of Use: This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Storage: -20 °C,-80 °C


Storage Comment: Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

Images




Immunohistochemistry

Image 1. Immunohistochemical analysis of paraffin-embedded human-liver, antibody was diluted at 1:200



Immunohistochemistry

Image 2. Immunohistochemical analysis of paraffin-embedded human-cervical-cancer, antibody was diluted at 1:200



Immunohistochemistry

Image 3. Immunohistochemical analysis of paraffin-embedded human-cervical-cancer, antibody was diluted at 1:200

Please check the [product details page](#) for more images. Overall 4 images are available for ABIN7189517.