# antibodies -online.com









## Overview

Quantity:	100 μg
Target:	ADI1
Binding Specificity:	AA 71-120
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This ADI1 antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (IHC)

# **Product Details**

Immunogen:	Synthetic peptide from Human protein at AA range: 71-120
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.

# **Target Details**

Target:	ADI1
Alternative Name:	ADI1 (ADI1 Products)
Background:	1 2 dihydroxy 3 keto 5 methylthiopentene dioxygenase antibody, 1 antibody, 2-dihydroxy-3-keto-

5-methylthiopentene dioxygenase antibody, Aci reductone dioxygenase antibody, Acireductone dioxygenase (Fe(2+) requiring) antibody, Acireductone dioxygenase (Ni(2+) requiring) antibody, Acireductone dioxygenase 1 antibody, Acireductone dioxygenase 1 antibody, ADI1 antibody, ADI1 antibody, APL1 antibody, ARD antibody, EC 1.13. antibody, Fe ARD antibody, FLJ10913 antibody, HMFT1638 antibody, Membrane type 1 matrix metalloproteinase cytoplasmic tail binding protein 1 antibody, MT1 MMP cytoplasmic tail binding protein 1 antibody, MT1 MMP cytoplasmic tail binding protein 1 antibody, MTCBP1 antibody, MTCBP1 antibody, MTND\_HUMAN antibody, Ni-ARD antibody, SIPL antibody, Submergence induced protein 2 antibody, Submergence induced protein 1 homolog antibody, Submergence induced protein like factor antibody, Submergence-induced protein 2 homolog antibody

UniProt:

09BV57

Pathways:

Methionine Biosynthetic Process

## **Application Details**

Application Notes:


IHC:1:50-300, ELISA:1:10000-20000,

Restrictions:

For Research Use only

# Handling

Format:	Liquid
Buffer:	PBS, pH 7.4, containing 0.02 % sodium azide as Preservative and 50 % Glycerol.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



## **Immunohistochemistry**

**Image 1.** Immunohistochemical analysis of paraffinembedded human-lung, antibody was diluted at 1:200