# antibodies -online.com





# anti-DPYSL5 antibody

2 Images



Go to Product page

$\sim$			
	N/6	1//r	$I \cap V$

Quantity:	100 μL
Target:	DPYSL5
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This DPYSL5 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (IHC)

## Product Details

Immunogen:	Synthetic peptide of Human DPYSL5
Isotype:	IgG
Cross-Reactivity:	Human, Mouse, Rat
Purification:	Antigen affinity purification

## **Target Details**

Target:	DPYSL5
Alternative Name:	DPYSL5 (DPYSL5 Products)
Background:	Background: This gene encodes a member of the CRMP (collapsing response mediator protein) family thought to be involved in neural development. Antibodies to the encoded protein were found in some patients with neurologic symptoms who had paraneoplastic syndrome. A pseudogene of this gene is found on chromosome 11. Multiple alternatively spliced variants,

#### **Target Details**

	41		I	I	: -1 +: £:1
encodina	the same	nrotein	nave	neen	identified.
criocarrig	tile ballie	protein,	I IU V C	DCCII	idelitiiida.

Aliases: Collapsin response mediator protein 5 antibody, CRAM antibody, CRMP 3 associated molecule antibody, CRMP 5 antibody, CRMP3 associated molecule antibody,
Dihydropyrimidinase like 5 antibody, Dihydropyrimidinase related protein 5 antibody,
Dihydropyrimidinase-related protein 5 antibody, DPYL5\_HUMAN antibody, DPYS L5 antibody,
DPYSL 5 antibody, DPYSL5 antibody, DRP 5 antibody, DRP5 antibody, FLJ45383 antibody, Ulip 6 antibody, Ulip6 antibody, ULIP6 protein antibody, UNC33-like phosphoprotein 6 antibody

UniProt:


Q9BPU6

#### **Application Details**

Application Notes:	ELISA:1:500-1:5000, WB:1:200-1:1000, IHC:1:10-1:50,
Restrictions:	For Research Use only


#### Handling

Format:	Liquid
Buffer:	-20 °C, pH 7.4 PBS, 0.05 % Sodium azide, 40 % Glycerol
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



#### **Immunohistochemistry**

**Image 1.** The image on the left is immunohistochemistry of paraffin-embedded Human breast cancer tissue using ABIN7190498(DPYSL5 Antibody) at dilution 1/10, on the right is treated with synthetic peptide. (Original magnification: x200)



#### **Western Blotting**

**Image 2.** Gel: 8 % SDS-PAGE, Lysate: 40 μg, Lane: Human fetal brain tissue, Primary antibody: ABIN7190498(DPYSL5 Antibody) at dilution 1/250, Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution, Exposure time: 30 seconds