antibodies -online.com







anti-STK26/MST4 antibody





\sim			
	IV/E	۱//۱۲	$I \cap V$

Quantity:	100 μL
Target:	STK26/MST4 (MST4)
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This STK26/MST4 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA

Product Details

Immunogen:	Synthetic peptide of Human STK26
Isotype:	IgG
Cross-Reactivity:	Human, Mouse
Purification:	Antigen affinity purification

Target Details

Target:	STK26/MST4 (MST4)
Alternative Name:	STK26 (MST4 Products)
Background:	Background: The product of this gene is a member of the GCK group III family of kinases, which are a subset of the Ste20-like kinases. The encoded protein contains an amino-terminal kinase
	domain, and a carboxy-terminal regulatory domain that mediates homodimerization. The
	protein kinase localizes to the Golgi apparatus and is specifically activated by binding to the

Golgi matrix protein GM130. It is also cleaved by caspase-3 in vitro, and may function in the apoptotic pathway. Several alternatively spliced transcript variants of this gene have been described, but the full-length nature of some of these variants has not been determined.

Aliases: 2610018G03Rik antibody, EC 2.7.11.1 antibody, Mammalian Ste20 like protein kinase 4 antibody, Mammalian STE20-like protein kinase 4 antibody, Mammalian sterile 20 like 4 antibody, MASK antibody, MST 4 antibody, MST-4 antibody, MST3 and SOK1 related kinase antibody, Mst3 and SOK1-related kinase antibody, Mst4 antibody, MST4_HUMAN antibody, RGD1563568 antibody, RP23-245F8.1 antibody, RP6 213H19.1 antibody, Serine/threonine protein kinase 26 antibody, Serine/threonine protein kinase MASK antibody, Serine/threonine protein kinase MST4 antibody, Serine/threonine-protein kinase MST4 antibody, Serine/threonine-protein kinase MST4 antibody, STE20 like kinase MST4 antibody, STE20-like kinase MST4 antibody, STK26 antibody

UniProt:


Q9P289

Application Details

Application Notes:	ELISA:1:1000-1:2000, WB:1:200-1:1000,	
Restrictions:	For Research Use only	

Handling

Format:	Liquid
Buffer:	-20 °C, pH 7.4 PBS, 0.05 % Sodium azide, 40 % Glycerol
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.



Western Blotting

Image 1. Gel: 8 % SDS-PAGE, Lysate: 40 μ g, Lane: Human placenta tissue, Primary antibody: ABIN7192677(STK26 Antibody) at dilution 1/400, Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution, Exposure time: 5 minutes