

Datasheet for ABIN7193151

anti-HA-Tag antibody

7 Images

[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	HA-Tag
Reactivity:	Please inquire
Host:	Mouse
Clonality:	Monoclonal
Application:	Western Blotting (WB), ELISA, Immunoprecipitation (IP), Immunofluorescence (IF), Flow Cytometry (FACS)

Product Details

Immunogen:	YPYDVDPDYA synthetic peptide conjugate to KLH
Clone:	18B11H6
Isotype:	IgG2b
Purification:	Protein A purified

Target Details

Target:	HA-Tag
Abstract:	HA-Tag Products
Target Type:	Tag
Background:	Background: Assembles with the antigen receptor of B-lymphocytes in order to decrease the threshold for antigen receptor-dependent stimulation. Aliases: HA-Tag


Application Details

Application Notes:	Recommended dilution: WB:1:5000-1:160000, IF:1:50-1:200, IP: 1:5000-1:100000, FC:1:50-1:200,
Restrictions:	For Research Use only

Handling


Format:	Liquid
Buffer:	Preservative: 0.03 % Proclin 300 Constituents: 50 % Glycerol, 0.01M PBS, PH 7.4
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	-20 °C,-80 °C
Storage Comment:	Upon receipt, store at -20°C or -80°C. Avoid repeated freeze.

Images



Immunofluorescence

Image 1. Immunofluorescence staining of 293F cells and 293F transfected cells with Company A, Company B, Company C, Company D, Company E, ABIN7193151 at 1:100, counter-stained with DAPI. The cells were blocked in 10% normal Goat Serum and then incubated with the primary antibody overnight at 4°C. The secondary antibody was Alexa Fluor 488-conjugated AffiniPure Goat Anti-Mouse IgG(H+L).



Western Blotting

Image 2. Western Blot Positive WB detected in: 3 different overexpression lysates with HA tagged All lanes: HA-Tag antibody at 1:1000 Secondary Goat polyclonal to Mouse IgG at 1/10000 dilution Predicted band size: 35, 35, 48 kDa Observed band size: 35, 35, 48 kDa

Western Blotting

Image 3. Western Blot Positive WB detected in: HA-tagged fusion protein at 50 ng, 25 ng, 12.5 ng, 6.25 ng, 3.125 ng, 1.5625 ng All lanes: HA-Tag antibody at 1:1000 Secondary Goat polyclonal to Mouse IgG at 1/10000 dilution Predicted band size: 35 kDa Observed band size: 35 kDa

Please check the [product details page](#) for more images. Overall 7 images are available for ABIN7193151.