# antibodies -online.com







# anti-Gephyrin antibody (AA 231-330)



#### Overview

Quantity:	100 μL
Target:	Gephyrin (GPHN)
Binding Specificity:	AA 231-330
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Gephyrin antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

#### **Product Details**

Immunogen:	KLH conjugated synthetic peptide derived from human Gephyrin
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Cow,Pig,Horse,Rabbit
Purification:	Purified by Protein A.

#### **Target Details**

Target:	Gephyrin (GPHN)

### **Target Details**

Alternative Name	Overhander (ODLINI Developeta)
Alternative Name:	Gephyrin (GPHN Products)
Background:	Synonyms: Domain E, Domain G, GEPH, GEPH_HUMAN, GPH, GPHN, GPHRYN, Molybdopterin
	molybdenumtransferase, MPT adenylyltransferase, MPT Mo-transferase.
	Background: The sub-membraneous region at the postsynaptic membrane contains a number
	of proteins critical for receptor targeting. Gephyrin is a microtubule-associated protein highly
	expressed in brain and localized to neuronal postsynaptic membranes. Gephyrin is essential for
	the postsynaptic localization of the inhibitory glycine receptor and is thought to anchor the
	receptor to subsynaptic microtubules. The protein is expressed in most mammalian tissues
	with predominant expression in brain. At least five additional splice variants of Gephyrin ranging in molecular weight have been identified in rat and human brain tissue.
Gene ID:	10243
Pathways:	Synaptic Membrane, Skeletal Muscle Fiber Development
Application Details	
Application Notes:	WB 1:300-5000
	ELISA 1:500-1000
	IHC-P 1:200-400
	IHC-F 1:100-500
	IF(IHC-P) 1:50-200
	IF(IHC-F) 1:50-200
	IF(ICC) 1:50-200
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS( pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	4 °C,-20 °C

# Handling

Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.
Expiry Date:	12 months