

Datasheet for ABIN7193627  
**anti-KLRK1 antibody (AA 73-216)**



[Go to Product page](#)

6 Images

## Overview

Quantity:	100 µL
Target:	KLRK1
Binding Specificity:	AA 73-216
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This KLRK1 antibody is un-conjugated
Application:	Western Blotting (WB), Flow Cytometry (FACS), ELISA

## Product Details

Purpose:	CD314 Antibody
Immunogen:	Purified recombinant fragment of human CD314 (AA: 73-216) expressed in E. Coli.
Clone:	5C9B4
Isotype:	IgG2a
Purification:	Purified antibody

## Target Details

Target:	KLRK1
Alternative Name:	CD314 ( <a href="#">KLRK1 Products</a> )
Background:	Description:

## Target Details

Natural killer (NK) cells are lymphocytes that can mediate lysis of certain tumor cells and virus-infected cells without previous activation. They can also regulate specific humoral and cell-mediated immunity. NK cells preferentially express several calcium-dependent (C-type) lectins, which have been implicated in the regulation of NK cell function. The NKG2 gene family is located within the NK complex, a region that contains several C-type lectin genes preferentially expressed in NK cells. This gene encodes a member of the NKG2 family. The encoded transmembrane protein is characterized by a type II membrane orientation (has an extracellular C terminus) and the presence of a C-type lectin domain. It binds to a diverse family of ligands that include MHC class I chain-related A and B proteins and UL-16 binding proteins, where ligand-receptor interactions can result in the activation of NK and T cells. The surface expression of these ligands is important for the recognition of stressed cells by the immune system, and thus this protein and its ligands are therapeutic targets for the treatment of immune diseases and cancers. Read-through transcription exists between this gene and the upstream KLRC4 (killer cell lectin-like receptor subfamily C, member 4) family member in the same cluster.

Aliases: KLRK1, KLR, NKG2D, NKG2-D, D12S2489E

Molecular Weight:	25.3kDa
Gene ID:	22914
Pathways:	<a href="#">Activation of Innate immune Response</a> , <a href="#">Cellular Response to Molecule of Bacterial Origin</a> , <a href="#">Regulation of Leukocyte Mediated Immunity</a> , <a href="#">Positive Regulation of Immune Effector Process</a>

## Application Details

Application Notes:	ELISA: 1/10000 FCM: 1/200-1/400
Restrictions:	For Research Use only


## Handling

Format:	Liquid
Buffer:	Purified antibody in PBS with 0.05 % sodium azide.
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.

Handling


Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

Images





Flow Cytometry

**Image 1.** Flow cytometric analysis of THP-1 cells using CD314 mouse mAb (green) and negative control (red).



ELISA

**Image 2.** Black line: Control Antigen (100 ng),Purple line: Antigen (10 ng), Blue line: Antigen (50 ng), Red line:Antigen (100 ng)



Western Blotting

**Image 3.** Western blot analysis using CD314 mAb against human CD314 (AA: extra 73-216) recombinant protein. (Expected MW is 42.6 kDa)

Please check the [product details page](#) for more images. Overall 6 images are available for ABIN7193627.