antibodies -online.com





anti-FGF2 antibody (AA 189-288)





Go to Product page

Overview

Quantity:	0.1 mg
Target:	FGF2
Binding Specificity:	AA 189-288
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This FGF2 antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Flow Cytometry (FACS)

Product Details

Immunogen:	Purified recombinant fragment of human FGF2 (AA: 189-288) expressed in E. coli.
Clone:	1A9B2
Isotype:	lgG2a
Purification:	purified

Target Details

Target:	FGF2
Alternative Name:	FGF2 (FGF2 Products)
Background:	Description: The protein encoded by this gene is a member of the fibroblast growth factor (FGF) family. FGF family members bind heparin and possess broad mitogenic and angiogenic

activities. This protein has been implicated in diverse biological processes, such as limb and nervous system development, wound healing, and tumor growth. The mRNA for this gene contains multiple polyadenylation sites, and is alternatively translated from non-AUG (CUG) and AUG initiation codons, resulting in five different isoforms with distinct properties. The CUG-initiated isoforms are localized in the nucleus and are responsible for the intracrine effect, whereas, the AUG-initiated form is mostly cytosolic and is responsible for the paracrine and autocrine effects of this FGF.

Aliases: BFGF, FGFB, FGF-2, HBGF-2

Molecular Weight:

30.8kd

Gene ID:

2247

Pathways:


RTK Signaling, Fc-epsilon Receptor Signaling Pathway, EGFR Signaling Pathway, Neurotrophin Signaling Pathway, C21-Steroid Hormone Metabolic Process, Inositol Metabolic Process, Glycosaminoglycan Metabolic Process, Protein targeting to Nucleus, S100 Proteins

Application Details

Application Notes:	WB:1:500 - 1:2000, FCM:1:200 - 1:400, ELISA:1:10000,
Restrictions:	For Research Use only

Handling

Buffer:	Purified antibody in PBS with 0.05 % sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C/-20 °C
Storage Comment:	4°C, -20°C for long term storage




ELISA

Flow Cytometry

Image 2. Black line: Control Antigen (100 ng), Purple line: Antigen (10 ng), Blue line: Antigen (50 ng), Red line: Antigen (100 ng)


Image 1. Flow cytometric analysis of Hela cells using FGF2

mouse mAb (green) and negative control (red).



Serial Dilutions of Antibody

Antigen= 10ng



Control Antigen = 100ng

Western Blotting

Image 3. Western blot analysis using FGF2 mAb against human FGF2 (AA: 189-288) recombinant protein. (Expected MW is 26 kDa)

Please check the product details page for more images. Overall 4 images are available for ABIN7193683.