antibodies -online.com







CD13 Protein (His tag)





Overview

Quantity:	50 μg
Target:	CD13 (ANPEP)
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Biological Activity:	Active
Purification tag / Conjugate:	This CD13 protein is labelled with His tag.

Product Details


Purpose:	Recombinant Mouse ANPEP/CD13 Protein (His Tag)(Active)
Sequence:	Lys 66-Ser 966
Characteristics:	A DNA sequence encoding the metalloprotease domain (Lys 66-Ser 966) of mouse ANPEP (NP_032512.2) was expressed with a C-terminal polyhistidine tag.
Purity:	> 97 % as determined by SDS-PAGE
Endotoxin Level:	$<$ 1.0 EU per μg of the protein as determined by the LAL method.
Biological Activity Comment:	Measured by its ability to cleave the fluorogenic peptide substrate, Ala-7-amido-4-methylcoumarin (Ala-AMC). The specific activity is >800 pmoles/min/µg.

Target Details

Torgot:	CD13 (ANPEP)	
Target:	CD13 (ANPER)	

Target Details

Alternative Name:	ANPEP/CD13 (ANPEP Products)	
Background:	Background: Aminopeptidase N (ANPEP or APN), also known as CD13, is a cell-surface	
	metalloprotease located in the small-intestinal and renal microvillar membrane, as well as other	
	plasma membranes. It belongs to the peptidase M1 family. CD13 plays a role in the final	
	digestion of peptides generated from hydrolysis of proteins by gastric and pancreatic proteases	
	and is involved in the metabolism of regulatory peptides by diverse cell types. CD13/APN is a	
	potent regulator of angiogenesis which is essential for tumor invasion and metastasis, and its	
	transcription in activated endothelial cells is induced by angiogenic growth factors via the	
	RAS/MAPK pathway. In addition, this enzyme has been shown to participate in antigen	
	processing and presentation, and accordingly, defects in this gene appear to be a cause of	
	various types of leukemia or lymphoma and carcinomas.	
	Synonym: AP-M,AP-N,Apn,Cd13,P150	
Molecular Weight:	104 kDa	
NCBI Accession:	NP_032512	
Pathways:	Peptide Hormone Metabolism, Regulation of Systemic Arterial Blood Pressure by Hormones	
Application Details		
Restrictions:	For Research Use only	
Handling		
Format:	Lyophilized	
Reconstitution:	Please refer to the printed manual for detailed information.	
Buffer:	Lyophilized from sterile PBS, pH 7.4	
Storage:	4 °C,-20 °C,-80 °C	
Storage Comment:	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C.	
	Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted	
	samples are stable at < -20°C for 3 months.	



Western Blotting

Image 1.