

## Datasheet for ABIN7194570 **CA9 Protein (Fc Tag)**



Overview

Quantity:	50 µg
Target:	CA9
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Biological Activity:	Active
Purification tag / Conjugate:	This CA9 protein is labelled with Fc Tag.

## Product Details

Purpose:	Recombinant Human Carbonic Anhydrase 9/CA9 Protein (Fc Tag)(Active)
Sequence:	Met 1-Asp 414
Characteristics:	A DNA sequence encoding the human carbonic anhydrase IX (CA9) precursor (NP_001207.2) (Met 1-Asp 414) was fused with the Fc region of human IgG1 at the C-terminus.
Purity:	> 90 % as determined by reducing SDS-PAGE.
Endotoxin Level:	< 1.0 EU per $\mu$ g as determined by the LAL method.
Biological Activity Comment:	Measured by its esterase activity. The specific activity is >50 pmoles/min/ $\mu$ g, as measured with 1 mM 4-Nitrophenyl acetate and 1 $\mu$ g enzyme at 400 nm in 100 $\mu$ L of 12.5 mM Tris, 75 mM NaCl, pH 7.5.

Target Details

Target:	CA9
Order at www.antibodies-online.com   www.antikoerper-online.de   www.anticorps-enligne.fr   www.antibodies-online.cn International: +49 (0)241 95 163 153   USA & Canada: +1 877 302 8632   support@antibodies-online.com	

Page 1/2 | Product datasheet for ABIN7194570 | 07/25/2024 | Copyright antibodies-online. All rights reserved.

Target Details	
Alternative Name:	Carbonic Anhydrase 9/CA9 (CA9 Products)
Background:	Background: Carbonic anhydrases IX (CA IX), also known as membrane antigen MN or CA9, is a
	member of the carbonic anhydrase (CA) family and may be involved in cell proliferation and
	cellular transformation. CAs are zinc metalloenzymes that catalyze the reversible hydration of
	carbon dioxide (H2O + CO2 = H+ + HCO3–) and thus participate in a variety of biological and
	physical processes. CA IX protein is expressed primarily in carcinoma cells lines, and the
	expression is cell density dependent and has been shown to be strongly induced by hypoxia,
	accordingly facilitates adaptation of tumor cells to hypoxic conditions. It is involved in
	tumorigenesis through many pathways, such as pH regulation and cell adhesion control. CA IX
	is used as a marker of tumor hypoxia and as a new therapeutic target for many human
	carcinomas and cancers.Immune Checkpoint Immunotherapy Cancer
	Immunotherapy Targeted Therapy
	Synonym: CAIX;Carbonic Anhydrase IX;MN
Molecular Weight:	67.7 kDa
NCBI Accession:	NP_001207
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Please refer to the printed manual for detailed information.
Buffer:	Lyophilized from sterile 100 mM Glycine, 10 mM NaCl, 50 mM Tris, pH 7.5
Storage:	4 °C,-20 °C,-80 °C
Storage Comment:	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C.
	Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/2 | Product datasheet for ABIN7194570 | 07/25/2024 | Copyright antibodies-online. All rights reserved.