-online.com antibodies

Datasheet for ABIN7194909 CD6 Protein (CD6) (Fc Tag)

Image



Overview

Quantity:	100 µg
Target:	CD6
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Biological Activity:	Active
Purification tag / Conjugate:	This CD6 protein is labelled with Fc Tag.

Product Details

Purpose:	Recombinant Mouse CD6/TP120 Protein (Fc Tag)(Active)
Sequence:	Met 1-Val 243
Characteristics:	A DNA sequence encoding the extracellular domain of mouse CD6 (Q91WN5) (Met 1-Val 243) was fused with the Fc region of human IgG1 at the C-terminus.
Purity:	> 85 % as determined by SDS-PAGE
Endotoxin Level:	< 1.0 EU per μ g of the protein as determined by the LAL method.
Biological Activity Comment:	Measured by the ability of the immobilized protein to support the adhesion of Jurkat human acute T cell leukemia cells. When 8 x 104 cells/well are added to mCD6-Fc coated plates (10 μ g/mL, 100 μ L/well), approximately 14.4% will adhere after 60 minutes at 37°C.


Target Details

Target:	CD6
	Order at www.antibodies-online.com www.antikoerper-online.de www.anticorps-enligne.fr www.antibodies-online.cn International: +49 (0)241 95 163 153 USA & Canada: +1 877 302 8632 support@antibodies-online.com

Page 1/3 | Product datasheet for ABIN7194909 | 09/09/2023 | Copyright antibodies-online. All rights reserved.

Target Details	
Alternative Name:	CD6/TP120 (CD6 Products)
Background:	Background: T-cell differentiation antigen CD6, also known as TP120 and CD6, is a single-pass
	type I membrane protein which contains three SRCR domains. CD6 / TP120 is a cell surface
	glycoprotein expressed primarily on T cells, it may function as a costimulatory molecule and
	may play a role in autoreactive immune responses. CD6 / TP120 is expressed by thymocytes,
	mature T-cells, a subset of B-cells known as B-1 cells, and by some cells in the brain. CD6
	ligand termed CD166 (previously known as activated leukocyte cell adhesion molecule, ALCAM
) has been identified and shown to be expressed on activated T cells, B cells, thymic epithelium,
	keratinocytes, and in rheumatoid arthritis synovial tissue. CD6 / TP120 binds to activated
	leukocyte cell adhesion molecule (CD166), and is considered as a costimulatory molecule
	involved in lymphocyte activation and thymocyte development. CD6 / TP120 partially
	associates with the TCR / CD3 complex and colocalizes with it at the center of the mature
	immunological synapse (IS) on T lymphocytes. During thymic development CD6-dependent
	signals may contribute both to thymocyte survival, and to the overall functional avidity of
	selection in both man and mouse.
	Synonym: CD6 antigen; Cd6
Molecular Weight:	68.2 kDa
UniProt:	Q91WN5
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Please refer to the printed manual for detailed information.
Buffer:	Lyophilized from sterile PBS, pH 7.4
Storage:	4 °C,-20 °C,-80 °C
Storage Comment:	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C.
	Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted
	samples are stable at < -20°C for 3 months.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN7194909 | 09/09/2023 | Copyright antibodies-online. All rights reserved.



Western Blotting

Image 1.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN7194909 | 09/09/2023 | Copyright antibodies-online. All rights reserved.