# antibodies -online.com





Datasheet for ABIN7194918

# CD68 Protein (His tag,Fc Tag)



### Overview

Quantity:	50 µg
Target:	CD68
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CD68 protein is labelled with His tag,Fc Tag.

## **Product Details**

Purpose:	Recombinant Human CD68/Macrosialin Protein (His & Fc Tag)
Sequence:	Met 1-Ser 319
Characteristics:	A DNA sequence encoding the human CD68 (NP_001242.2) extracellular domain (Met 1-Ser 319) was fused with the C-terminal polyhistidine-tagged Fc region of human IgG1 at the C-terminus.
Purity:	> 96 % as determined by reducing SDS-PAGE.
Endotoxin Level:	< 1.0 EU per µg as determined by the LAL method.

# Target Details

Target:	CD68
Alternative Name:	CD68/Macrosialin (CD68 Products)
Background:	Background: Macrosialin, also known as CD68 and Gp110, is a single-pass type I membrane
	protein which belongs to the LAMP family. CD68 is highly expressed by blood monocytes and

tissue macrophages. It is also expressed in lymphocytes, fibroblasts and endothelial cells. CD68 is expressed in many tumor cell lines which could allow them to attach to selectins on vascular endothelium, facilitating their dissemination to secondary sites. CD68 plays a role in phagocytic activities of tissue macrophages, both in intracellular lysosomal metabolism and extracellular cell-cell and cell-pathogen interactions. It is a commonly used marker for macrophages. However, a number of studies have shown that CD68 antibodies react with other hematopoietic and non-hematopoietic cell types, suggesting that CD68 may not be a macrophage-specific antigen. CD68 binds to tissue- and organ-specific lectins or selectins, allowing homing of macrophage subsets to particular sites. Rapid recirculation of CD68 from endosomes and lysosomes to the plasma membrane may allow macrophages to crawl over selectin-bearing substrates or other cells.

Synonym: GP110;LAMP4;SCARD1

Molecular Weight:

59.6 kDa

NCBI Accession:

NP\_001242

### **Application Details**

Restrictions:

For Research Use only

### Handling

Format:	Lyophilized
Reconstitution:	Please refer to the printed manual for detailed information.
Buffer:	Lyophilized from sterile PBS, pH 7.4
Storage:	4 °C,-20 °C,-80 °C
Storage Comment:	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C.  Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted
	samples are stable at < -20°C for 3 months.