

### Datasheet for ABIN7195220

# **CSF3R Protein (Fc Tag)**



#### Overview

Quantity:	100 μg
Target:	CSF3R
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Biological Activity:	Active
Purification tag / Conjugate:	This CSF3R protein is labelled with Fc Tag.

#### **Product Details**

Purpose:	Recombinant Human G-CSFR/CD114 Protein (Fc Tag)(Active)
Sequence:	Met 1-Pro 621
Characteristics:	A DNA sequence encoding the extracellular domain (Met 1-Pro 621) of human G-CSF receptor (NP_000751.1) precursor was expressed with the fused Fc region of human IgG1 at the C-terminus.
Purity:	> 95 % as determined by reducing SDS-PAGE.
Endotoxin Level:	< 1.0 EU per µg as determined by the LAL method.
Biological Activity Comment:	Measured by its ability to inhibit GCSF-induced proliferation of NFS60 mouse myeloid cells. The ED50 for this ettect is typically 2-20 ng/ml in the presence of 0.125ng/ml of recombinant human GCSF.

## **Target Details**

Target:	CSF3R
Alternative Name:	G-CSFR/CD114 (CSF3R Products)
Background:	Background: Granulocyte Colony Stimulating Factor Receptor (G-CSFR), also known as CD114,
	which belongs to the cytokine receptor superfamily, is a cell surface receptor for colony
	stimulating factor 3 (CSF3). It is a critical regulator of granulopoiesis. This type I membrane
	protein has a composite structure consisting of an immunoglobulin(Ig)-like domain, a cytokine
	receptor-homologous (CRH) domain and three fibronectin type III (FNIII) domains in the
	extracellular region. Mutations in the G-CSF receptor leading to carboxy-terminal truncation
	transduce hyperproliferative growth responses, and are implicated in the pathological
	progression of severe congenital neutropenia (SCN) to acute myelogenous leukemia (AML).
	Additionally, autocrine/paracrine stimulation of G-CSFR may be important in the biology of solid
	tumors, including metastasis.
	Synonym: CD114,CSF3R,G-CSF R,GCSFR
Molecular Weight:	93.3 kDa
NCBI Accession:	NP_000751
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Please refer to the printed manual for detailed information.
Buffer:	Lyophilized from sterile PBS, pH 7.4
Storage:	4 °C,-20 °C,-80 °C
Storage Comment:	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C.
	Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted
	samples are stable at < -20°C for 3 months.