antibodies -online.com





anti-KCNJ3 antibody (AA 81-180) (Biotin)



Go to Product page

()	11/0	K\ /	iew	1
	\cup	'I V/I	$\square \vee \vee$	ı

Quantity:	100 μL	
Target:	KCNJ3	
Binding Specificity:	AA 81-180	
Reactivity:	Mouse, Rat	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This KCNJ3 antibody is conjugated to Biotin	
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human GIRK1
Isotype:	IgG
Cross-Reactivity:	Mouse, Rat
Predicted Reactivity:	Human,Dog,Cow,Pig,Rabbit,Guinea Pig
Purification:	Purified by Protein A.

Target Details

Target:	KCNJ3
Alternative Name:	GIRK1 (KCNJ3 Products)

Target Details

Daalaman I	O
Background:	Synonyms: KGA, GIRK1, KIR3.1, G protein-activated inward rectifier potassium channel 1, GIRK-
	1, Inward rectifier K(+) channel Kir3.1, Potassium channel, inwardly rectifying subfamily J
	member 3, KCNJ3
	Background: This potassium channel is controlled by G proteins. Inward rectifier potassium
	channels are characterized by a greater tendency to allow potassium to flow into the cell rather
	than out of it. Their voltage dependence is regulated by the concentration of extracellular
	potassium, as external potassium is raised, the voltage range of the channel opening shifts to
	more positive voltages. The inward rectification is mainly due to the blockage of outward
	current by internal magnesium. This receptor plays a crucial role in regulating the heartbeat.
Gene ID:	3760
UniProt:	P48549
Application Details	
Application Notes:	WB 1:300-5000
у приноского постоя	IHC-P 1:200-400
	IHC-F 1:100-500
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C for 12 months.
Expiry Date:	12 months