



[Go to Product page](#)

Datasheet for ABIN719819  
**anti-VAT1 antibody (AA 421-525) (Cy3)**

### Overview

Quantity:	100 µL
Target:	VAT1
Binding Specificity:	AA 421-525
Reactivity:	Rat, Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This VAT1 antibody is conjugated to Cy3
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

### Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human VMAT1
Isotype:	IgG
Cross-Reactivity:	Mouse, Rat
Predicted Reactivity:	Human,Dog,Cow,Pig,Horse,Chicken
Purification:	Purified by Protein A.

### Target Details

Target:	VAT1
Alternative Name:	VAT1 ( <a href="#">VAT1 Products</a> )

## Target Details

---

**Background:** Synonyms: Adrenal chromaffin granule amine transporter, CGAT, CGAT, Chromaffin granule amine transporter, SLC18A1, Solute carrier family 18 vesicular monoamine, member 1, Solute carrier family 18 member 1, VAT 1, VAT1, Vesicular amine transporter 1, VMAT 1, VMAT1, VMAT1\_HUMAN.

Background: The vesicular monoamine transporter acts to accumulate cytosolic monoamines into vesicles, using the proton gradient maintained across the vesicular membrane. Its proper function is essential to the correct activity of the monoaminergic systems that have been implicated in several human neuropsychiatric disorders. The transporter is a site of action of important drugs, including reserpine and tetrabenazine (Peter et al., 1993 [PubMed 7905859]). See also SLC18A2 (MIM 193001).[supplied by OMIM, Mar 2008].

---

**Molecular Weight:** 56kDa

---

**Gene ID:** 6570

---

**UniProt:** [P54219](#)

## Application Details

---

**Application Notes:** IF(IHC-P) 1:50-200  
IF(IHC-F) 1:50-200  
IF(ICC) 1:50-200

---

**Restrictions:** For Research Use only

## Handling

---

**Format:** Liquid

---

**Concentration:** 1 µg/µL

---

**Buffer:** Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.

---

**Preservative:** ProClin

---

**Precaution of Use:** This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

---

**Storage:** -20 °C

---

**Storage Comment:** Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.

---

**Expiry Date:** 12 months