antibodies -online.com





ZIKV E Protein (His tag)



Image



Overview

| Quantity: | 100 μg |
|-------------------------------|---|
| Target: | ZIKV E |
| Origin: | Zika Virus (ZIKV) |
| Source: | Baculovirus infected Insect Cells |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | This ZIKV E protein is labelled with His tag. |

Product Details

| Purpose: | Recombinant ZIKV (strain Zika SPH2015) Envelope protein (His Tag) |
|------------------|--|
| Sequence: | lle291-Gly694 |
| Characteristics: | A DNA sequence encoding the Zika virus (strain Zika SPH2015) E / Envelope (ALU33341.1) (Ile291-Gly694) was expressed with a polyhistidine tag at the C-terminus. |
| Purity: | > 90 % as determined by SDS-PAGE. |
| Endotoxin Level: | < 1.0 EU per µg protein as determined by the LAL method. |

Target Details

| Target: | ZIKV E |
|-------------------|--|
| Alternative Name: | Zika Envelope (ZIKV E Products) |
| Background: | Background: Envelope of Zika virus is resposible for receptor binding and membrane. Analysis of the envelope protein of Zika, from Brazilian Zika SPH215 (KU321639), indicates predicted B |
| | and T cell epitopes in peptides that are consistent to those reported for dengue, YFYF and |

Target Details

Japanese encephalitis. The envelope Domain II B cell epitope, to which much dengue non-neutralizing cross reaction is attributed, is also conserved also in Zika virus, consistent with prior field observations of cross reactivity with dengue and YF. Domain III of the Zika envelope protein, likely the main specific neutralizing domain, is distinct from recent Brazilian dengue isolates and a recent Peruvian YF isolate (GQ379163), 76 % of possible major histocompatibility complex class (MHC) I and MHC II binding peptides and potential B cell linear epitopes are unique to Zika virus.

Synonym: Zika virus, E protein, strain Zika SPH2015

Molecular Weight:

45.5kDa.


Application Details

Restrictions:

For Research Use only

Handling

| Format: | Lyophilized |
|------------------|--|
| Reconstitution: | Please refer to the printed manual for detailed information. |
| Buffer: | Lyophilized from sterile 20 mM Tris, 500 mM NaCl, pH 8.0, 10 % gly. Normally 5 % - 8 % trehalose, mannitol and 0.01 % Tween80 are added as protectants before lyophilization. Please refer to the specific buffer information in the printed manual. |
| Storage: | 4 °C,-20 °C,-80 °C |
| Storage Comment: | Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted samples are stable at < -20°C for 3 months. |



Western Blotting

Image 1.