

Datasheet for ABIN720056
anti-TFAP2C antibody (AA 2-100)[Go to Product page](#)

2 Images

Overview

Quantity:	100 µL
Target:	TFAP2C
Binding Specificity:	AA 2-100
Reactivity:	Mouse, Rat
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This TFAP2C antibody is un-conjugated
Application:	Western Blotting (WB), ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin- embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human TFAP2C
Isotype:	IgG
Cross-Reactivity:	Mouse, Rat
Predicted Reactivity:	Human,Dog,Cow,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	TFAP2C
---------	--------

Target Details

Alternative Name:	AP2 gamma (TFAP2C Products)
Background:	<p>Synonyms: ERF1, TFAP2G, hAP-2g, AP2-GAMMA, Transcription factor AP-2 gamma, Activating enhancer-binding protein 2 gamma, Transcription factor ERF-1, TFAP2C</p> <p>Background: Sequence-specific DNA-binding protein that interacts with inducible viral and cellular enhancer elements to regulate transcription of selected genes. AP-2 factors bind to the consensus sequence 5'-GCCNNNGGC-3' and activate genes involved in a large spectrum of important biological functions including proper eye, face, body wall, limb and neural tube development. They also suppress a number of genes including MCAM/MUC18, C/EBP alpha and MYC. Involved in the MTA1-mediated epigenetic regulation of ESR1 expression in breast cancer.</p>
Gene ID:	7022
UniProt:	Q92754
Pathways:	Stem Cell Maintenance

Application Details

Application Notes:	WB 1:300-5000 ELISA 1:500-1000 IHC-P 1:200-400 IHC-F 1:100-500 IF(IHC-P) 1:50-200 IF(IHC-F) 1:50-200 IF(ICC) 1:50-200
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.


Handling

Storage: 4 °C, -20 °C

Storage Comment: Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.


Expiry Date: 12 months

Images



Immunohistochemistry

Image 1. Formalin-fixed and paraffin embedded mouse embryo labeled with Rabbit Anti AP2 gamma Polyclonal Antibody, Unconjugated (ABIN720056) at 1:200 followed by conjugation to the secondary antibody and DAB staining



Immunohistochemistry

Image 2. Formalin-fixed and paraffin embedded rat brain labeled with Rabbit Anti AP2 gamma Polyclonal Antibody, Unconjugated (ABIN720056) at 1:200 followed by conjugation to the secondary antibody and DAB staining